E. HARRISON CAWKER. VOI. 14, NO. 6.}

MILWAUKEE, APRIL, 1883.

Terms: \$1.00 a Year in Advance Single Copies, 10 Cents.

CRANSON'S SILVER CREEK ROLLER BUCKWHEAT SHUCKER.

The manufacture of Buckwheat flour is rapidly assuming a place of great importance, but to successfully carry it on, purity and quantity of product must be secured, while economy in carrying out the flouring process is essential to render its undertaking remunerative. G. S. Cranson, of Silver Creek, N. Y., a practical miller of forty years experience, and who has made the manufacture of buckwheat flour an especial study, conceived the idea that rollers were preferable to stones for certain steps in the process of its manufacture, and after long experience succeeded in producing the SILVER CREEK ROLLER BUCKWHEAT SHUCKER, which by actual service in more than five hundred mills in the United States and Canada, has proved itself to be the most perfect machine of its class, and in inviting your careful investigation of its merits we beg your careful investigation of its merits we beg The manufacturers say: "The increased purity and value of the flour made by the use of this machine, has in many cases quadrupled the business of those using it, and given them a profit of twenty-five cents per bushel over the old method of manufacture. During the past year more than 5,000,000 bushels of Buckwheat have been treated upon these machines without one single word of complaint or dissatisfaction, but with innumerable expressions of satisfaction and praise. The shucks are so perfectly removed that only two screens and one small suction fan are required for a suitable separation of the meats from the shucks. We have, at great expense, devised suitable machinery for making our iron rolls surpass in durability, sand stones, iron or emery plates. No time is required to balance, tram, pick, face or furrow our rolls, as all stone devices require. Our Improved machine is so perfectly balanced and carefully adjusted in all its parts that no trouble or annoyance is occasioned the miller in operating it. It runs very light, less power being required than any smutter having capacity for treating the same amount of grain. More than FIVE HUNDRED SILVER CREEK ROLL-ER SHUCKERS are in use giving in every case perfect satisfaction."

We cheerfully advise all millers in need of bnckwheat machinery to address Messrs. G. S. Cranson & Son, Silver Creek, N. Y., for terms and further particulars. The accompanying illustration will give the reader a good idea of the machine.

by the following letter from a large London flour importing house to one of the heaviest milling firms in Milwaukee:

Dear Sirs: We wish to call your attention to the fact that most through bills of lading are made out in such a way that we have great difficulty in recovering amounts for short deliveries, damages, etc. To give in-stance—We have a bill of lading before us

headed as follows:
"The Red Line Transit Co. and the outside steamer —, from New York"; and another, "The Great Central Route Blue Line and the Monarch Line Steamship."

In the first case we have no responsible firm or company mentioned in case of any claim, and in the second, instead of "Monarch Line, S. S.," the company owning the "Monarch Line" should be mentioned, which is the Royal Exchange Shipping Company the Royal Exchange Shipping Company, Limited.

We have had so much trouble and expense in respect to claims, that we hope in future you will always have the name of some responsible party inserted in all your bills of lading.

Yours truly,

The following letter has been handed to us for publication by Messrs. E. Sanderson & Co., of Milwaukee:

To the Minnesota State Millers' Association, in Convention:

GENTLEMEN:—We desire to call your attention to a matter in which all of us are in the choice of insurance companies.

more or less individually interested, viz: The

more or less individually interested, viz: The several unjust conditions and restrictions forced upon shippers by the forms of bills of lading now used by nearly all transportation lines doing an export business.

We believe a united and vigorous effort on the part of millers and shippers would result in obtaining from all transportation companies a uniform bill of lading, the conditions of which would be assented to by, and binding upon all parties thereto; and not like the present, which contain conditions that have been declared illegal, and others that are manifestly unjust to the shipper, by the acceptance of which he at least tacitly assents thereto.

4th. In case the property would be obliged to go by the route indicated in the bill of lading, shippers would be enabled to secure more advantageous averages, but so long as the transportation companies are allowed to send by any route they may elect, the insurance companies will confine themselves to the hazard of a total loss only, or a general average.

The transportation companies may claim the contingency of shipping by "other lines" is a remote one, it is, however, a risk, and one the shipper should not be called upon to assume.

Within the last two years, we have had two cases wherein the property was thus diverted,

Among the most prominent are perhaps the following:

1st, The condition, "wherein the transportation companies claim exemption from damage by detention or delay while in transit." This clause is so manifestly unjust that no bill of lading ought to be accepted con-

4th. In case the property would be obliged to go by the route indicated in the bill of lading, shippers would be enabled to secure

assume.
Within the last two years, we have had two cases wherein the property was thus diverted, on one of which there was a marine loss; the English adjusters, very properly, decided that the insurance certificate, as it read, was not liable, and refused to pay.

We trust your convention will give this matter the consideration its importance demands, and take such action as you may

There are a number of irresponsible firms springing up all over the country, manufac-turing and selling all kinds of mill machinery, regardless of the rights of patent owners. millers choose to patronize such institutions they will, most assuredly, get themselves into trouble before long, and most assuredly the Association will not, and cannot, defend suits arising out of such carelessness. Please pay full attention to this.

There is an instinctive feeling all over the country that some fine morning the thousand and one patents on Roller Mills will get the milling fraternity into trouble without end. The Executive Committee has been canning the horizon for a good while, and the policy of the Association will be to make common of the Association will be to make common cause with anyone who is a bonafide possess-or of "bed-rock" patents affecting Roller Mills. The so-called Ganz patents, controlled by parties in Buda-Pesth, have, within the past few weeks, been bought up by parties in this country, who think they have more than a gold mine or two. You may rest perfectly easy with the assurance that the Executive Committee of the National Association lays awake of nights watching all these manœuvres, and that no trap will be sprung on the Association. If any man proves himself to have a real good thing, we will call him brother, and lock arms with him; if he only has a bulldosing scheme we will stand on our dignity. There are other matters and patdignity. There are other matters and patents engrossing our attention. We will not enlarge on them now. If they should be-come troublesome it will be time enough

then to bother you with them.


The National Association is now arranging with a patent law firm to watch all new patents ground out by the patent office from week to week, which might affect the milling interest, and in this way we hope to be constantly posted. At the same time several Congressmen are working at our instigation. Congressmen are working, at our instigation, to get a law passed by which an innocent purchaser will be protected from blackmail, and we have the assurance, by a prominent member of Congress, that such a law will undoubtedly pass, after having failed to get the requisite majority in either one or the other House during the last three or four years.

To keep all this machinery in good work-lng order it takes dollars and cents.

The National Association, assembled at The National Association, assembled at Cleveland last January, ordered an assessment of \$10 per run, being equal to 35 barrels capacity in 24 hours; half of the assessment, or \$5 per run, payable this month, the other half in September. Please remit, at your earliest opportunity, \$5 for every 35 barrels of your capacity per 24 hours.

During the absence of C. H. Seybt (secretary and treasurer) in Europe, you will please remit to and correspond with Henry Schurmann, assistant secretary, Germantown, Clinton Co., Ill. C. H. SEYBT,

Sec'y and Treas. Highland, Ill., March 20th, 1883.



CRANSON'S SILVER CREEK ROLLER BUCKWHEAT SHUCKER.

the particular carrier in whose possession the damage occurs. This would seem, at first glance, very plausible and necessary, to enable the different companies in the line to

and report at the next annual meeting of the National Association.

Yours truly,

E. Sanderson & Co. glance, very plausible and necessary, to enable the different companies in the line to protect themselves from each other, but on the other hand, it allows a responsible railway or transportation company to have irre sponsible or mythical connections, against which there is no recourse if any damage occurs while in their control or possession. If we are not mistaken, it has been decided

ABOUT BILLS OF LADING.

The importance of having through bills of lading made out properly is plainly indicated so, there is no necessity for inserting such a condition, which only forces the shipper at condition, which only forces the shipper at great expense to maintain suits against foreign companies, who plead they do not know the shipper, but contracted with the RAILWAY COMPANY, from which they received the property.

In the case of Bruce & Wilson, Glasgow, vs. Allan Steamship Line, on trial in Glasgow, the defense took very strong grounds that the above conditions were a complete waiver to their liability in the premises.

3d. However, the most dangerous sur-render of our rights, and one, too, that many shippers undoubtedly overlook, is the condition which allows property to be carried by any route or line the transportation company may elect, and reads, "changes m y be made in, and parts of the property may be carried or forwarded by different means, or routes of transportation," others read, "and liberty to ship by any other steamship or steamship line.

Others again agree "to ship by steamship of equal rate of insurance to that named, in the bill of lading—this concession however, few make, and it is an important question to be considered in this connection, whether this condition, afterwards inserted, does not vitiate the insurance? It can be readily seen, that to be properly insured under such a bill of lading the certificate should read, "by steam," or, 'by any other steamer or steamers." These condit ons but few insurance companies will entertain, and if they do will charge an extra rate, which results in a higher rate of insurance, and also limits the shipper

WHAT THE SECRETARY OF THE ILLINOIS MIL-LERS' ASSOCIATION HAS TO SAY TO ILLINOIS MILLERS.

To the Illinois Members of the Millers' Associa-

"It is about time that we should have again a confidential chat on the situation. Unless I call for an assessment occasionally, you might think that the whole thing had sociation is wide awake.

The Denchfield suit will be decided by the

United States Supreme Court this spring yet, and the defeat of it is a certainty, because the United State- Supreme Court is scrutinizing all the re-issues of patents very closely. A fraud similar to the Cochrane iniquity is now almost an impossibility, thanks to the glorious fight the Association made against it.

The Downton process patented case will be decided by the United States Supreme Court this spring and even if declared valid will make very little difference to the members of the Association, as we have a contract with Mr. Downton which insures to the mem-

bers only nominal penalties for infringment.

A serious row is threatened on account of the Dust Collectors. However, the sub-executive committee of the National Association is now arranging with the leading manufacturers, for heavy bonds with unquestionable good security, that all the purchases of such machines shall be defended out of the proceeds of these bonds; the more machines these concerns may sell the higher additional bonds they obligate themselves to furnish. It may take four or six weeks yet before all the details are worked out, meanwhile we advise all members to refuse payment for these machines unless they get unquestionable good security for a clear title.

Let me entreat the Association to use ordinary business caution in purchasing mill machinery of any description. Buy only of good, responsible dealers, even though you may have to pay a few dollars more.

A WORD ABOUT MILWAUKEE CEMENT.

MILWAUKEE CEMENT is now conceded to be the best natural hydraulic cement in the American market. In uniformity of manufacture, reliability and ultimate strength, there is no superior cement made from the natural rock, in this country or Europe. The works are among the largest, most modern and most complete for the perfect manufacture of hydraulic cement of this class in any part of the world. Its patrons include the national government, many of the state governments, the largest railway companies and many of the most expert engineers and architects of the United States. Of the large quantity shipped by the company the past year not one barrel was rejected because of inferior quality. The capacity of the works is now nearly half a million barrels per an-

WE acknowledge with pleasure a delightful visit from D. G. Tepper, Esq., now editor of the Millers' Journal of New York. Mr. Tepper was formely editor of the Millers' Gazette, London, and became thoroughly acquainted with the trade on the other side. He has however, we believe, made up his mind to settle down here permanently, and be "one of us." He is now visiting various points in the West, to become personally acquainted with those engaged in the industry he helps to represent journalistically.

United States Miller.

PUBLISHED MONTHLY.

OFFICE Nos. 116 & 118 GRAND AVENUE, MILWAUREE, WIS Subscription Price.........\$1 per year in advance. Foreign Subscription.......\$1.50 per year in advance.

MILWAUKEE, APRIL, 1883.

ANOUNCEMENT:

WM. DUNHAM, Editor of "The Miller," 69 Mark Lane, and HENRY F. GILLIG & Co., 449 Strand, London, Eng land are authorized to receive subscriptions for the UNITED STATES MILLER

We send out monthly a large number of sample copies of the UNITED STATES MILLER to millers who are not subscribers. We wish them to consider the receipt of a sample copy as a cordial invitation to them to become regular subscribers. Send us One Dollar in money or stamps, and we will send THE UNITED STATES MILLER to you for one year.

The United States Consuls in various parts of the world who receive this paper, will please oblige the publishers and manufacturers advertising therein, by placing it in their offices where it can be seen by those parties seeking such information as it may contain. We shall be highly gratified to receive communications for publication from Consuls or Consular Agents everywhere, and we believe that such letters will be read with interest, and will be highly appreciated.

ANNUAL MEETING OF THE WISCONSIN STATE MILLER'S ASSOCIATION.

OFFICIAL CALL.

Secretary's Office, Milwaukee, March, 27, 1883.

The Annual Meeting of the Wisconsin State Miller's Association will be held in the parlors of the Plankinton House, Milwaukee, Tuesday, April 10th, at 2 o'clock, p. m., for the purpose of electing officers for the ensuing year, and transacting such other business as may be brought before the meeting.

A full attendance is desired.

S. H. SEAMANS, Sec'y.

MINNESOTA MILLERS' ASSOCIATION.

OFFICIAL CALL.

To the Members of the Minnesota State Millers'

GENTLEMEN: You are hereby notified that a special meeting of this Association will be held at the Nicollet House, in Minneapolis, on Tuesday, the 10th day of April, A. D. 1883, at 10 o'clock in the forenoon of said day. Business of importance made necessary by the action of the executive committee of the Millers' National Association, held at Cleveland, O., Jan. 31, 1883, will come before us. Also the election of officers of this Association, as well as all other business that would have properly been considered at our annual meeting in December last (had not that meeting been adjourned,) will be considered and disposed of. Hence a full attendance is both desirable and important.

> E. V. WHITE, Chairman Ex. Com. W. P. Brown, Pres. Minn. State Millers' Ass'n.

Minneapolis, March 19, 1883.

WHEAT AND FLOUR EXPORTS.

The following figures are condensed from official sources. During the month of February 1883, there were exported 5,666,035 bushels of wheat, worth \$6,491,026, and 902,-633 barrels of flour, worth \$5,368,136. In February 1882, there were exported 5,318,- This right of property in the ice possessed by 183 bushels of wheat, valued at \$6,222,841, and 526,499 barrels of flour, valued at \$3,117,854. The total value of exports of grain and flour for eight months ending, Feb. 28, 1883, was \$149,431,142, against \$135,296,632, during corresponding time in 1882.

DANGEROUS PRACTICES.

F. B. Allen in the Locomotive says: When a boiler gives signs of distress, by unusual leaking, or by other well-known indications, it must at once and with the least possible disturbance be put out of service until it can be thoroughly examined by a competent inspector and the nature of the defect determined. The average water tender puts a heavy feed on the boiler and gets a ladder with which he may climb up and watch the spread of the leak. In opening the flue doors in the setting, to afford him the necessary view, unwittingly, no doubt, he premits a stream of cold air to sweep the boiler bottom, which adds another important element to its destruction, and perhaps his own. We would as soon think of entering a powder magazine with a lighted cigar as to do either of these things at the time or under the circumstances we have described.

[From the Milling World.] PROPERTY IN MILL POND ICE.

BY MYRON BLY.

The question of the legal ownership of ice on mill ponds must be an especially important one to mill owners of every description, because nearly all the leading cases involving adjudication of the right of property in ice refer to disputed rights in mill ponds. When ice began to assume a commercial value the courts were soon called upon to decide conflicts over its ownership. But the question was new; the judges had no English precedents to guide them, because there had never been any necessity of deciding the question in England. At first there was a good deal of groping about and stumbling, but the decisions have now approached an approximate uniformity. The reasoning of the opinions, however, is very contrary and diverse. It would have been better for the courts in this case to have followed the course of the distinguished Lord Chancellor, who declined on general principles to give reasons for his decisions, stating that the latter were usually right, but his reasons were apt to be wrong. Some of the conclusions which have been reached are as follows:

New York-There can be no difference as to the rights of a riparian owner growing out of the water, whether liquid or congealed.

Illinois-Manifestly different considerations apply to water in a running stream when in a liquid state and when frozen.

Indiana and Illinois-When water has con gealed and become attached to the soil, like any other accretion thereto, it becomes a part of the realty. It is real property.

Michigan-Ice is personal property. It is only a portion of the running water become fixed by freezing, and draws nothing from the land, and gets no more support from it than

Connecticut-The miller may be injured by the removal of ice, because the water supply is limited in the winter time, and ice often liquifies during winter thaws and becomes available, and it also retards deeper freezing and a further lessening of the water.

Massachusetts-The cutting and carrying away of any quantity of ice would not inflict injury by diminishing the quantity of water which would come to the mill. It must be cut in the winter. It melts in the early spring and goes to form the spring floods when there is a surplusage of water. When a dry season came around there would be just as much water in the pond as though no ice had

Notwithstanding this diverse reasoning, there is but little diversity in the decisions. The first New York case, to be sure, bluntly held that as the water of a running stream could never become the property of a riparian owner, even though he owned both banks, therefore the ice could never become his property so that he could sell or dispose of it. This was put upon the theory that the riparian owner had no right to direct the water, and had no interest in the stream beyond the use of the flowing water. All this was upset by a later decision in the same state, holding that the water might be diverted for domestic purposes and for stock, and in fact, might be diverted to any extent, which did not impair the beneficial enjoyment of the stream by those below, and having a property in the water to this extent, the riparian owner had, therefore, an absolute property in the ice. the riparian owner, is now perfectly established, whatever the reasons the courts have advanced for it. The same rule applies generally to streams that are navigable. There may be exceptions in the case of navigable streams, however, but as millers are not, as a rule interested in such waters, it will be sufficient to say that the exceptions might arise in these states which do not adopt the common law rule that the title of the riparian owner extends to the middle of the stream wherever the tide does not ebb and flow, but hold, on the contrary, that if the stream is navigable, he gets no title to the bed. In such a case, it might be held that the right to cut ice vested in the public at large, if access to it could be obtained without trespassing on the shore. The legal ownership of ice, on mill ponds, then, may be briefly stated in the following

If the mill owner possesses title to the bed of the pond, or if he has acquired by purchase, or by prescriptive use, the legal right to flow the land, the ice which forms on it is his own

manner:

He may cut it himself or sell it to others, and it is not necessary that he should own the shores if he owns the bed, or has the right to grain always fell from the uppermost on the and peculiarly American type—the inward

flow it. It will be seen that he who ponds waters is recognized as having a special property in them. Without this recognition, if a miller did not own the bed of the pond, but simply had a right to flow, the ice might be the property of those who held the title to the bed. It has been distinctly decided that where one grants to a miller the right to flow simply and reserves the fee, he nevertheless part with his right to the ice. It has not been so clearly decided that where the right to flow has been acquired by prescription or long continued use, the holder of the fee loses his right to the ice. But this must inevitably be the case. Prescription implies that a grant has been made. Moreover, it has decided that where the right to flow land has been acquired by prescription, the mill owner has an interest in the ice which entitles him to have it remain on the pond, and he can prevent others cutting it. If this is so, then it is only a question between the miller and the lower riparian owner, and the latter cannot prevent the cutting of the ice by the miller.

The whole subject is a very interesting one, and one about which there has been much uncertainty, but at the present time the rules laid down above may be relied upon as cor-

(Translated for THE UNITED STATES MILLER.) ON THE DEVELOPMENT OF THE MILLING IN-DUSTRY.

According to Pliny, the invention of milling is accredited to Ceres, but a Spartan legend accords this honor to one Myles, a Lelegecian. The fact that one of Zeus' names is Myleus, "the miller," furnishes incontestable evidence for the great antiquity of the process for making grain into flour. In Egyptian wall paintings there occur everywhere mortars and sieves, the only implements in use by the ancients for making flour. The Indians and Nubians pulverized the grain by grinding it between two stones and this method finnally gave rise to the employment of millstones. Moses and Homer already mention mills with two stones. These early millstones, however, were very small, as shown by those found at Abbeville, which are only about 28 centimeters in diameter. They are still in use in the Orient and in China. Also in Pompei millstones and whole mills have been discovered, but the stones are larger. The lower stone, on a conical projection faced with iron, carries the upper stone, which resembles an hour-glass, by reason of two conical depressions, their apexes meeting in the center. The first mills driven by water power are described by Vitruvius and, since that time, they have been adopted all over the world. For reasons, which we have mentioned in a previous article, the milling industry remained stationary for centuries, and it was reserved for America, to give the first impetus toward improved methods in milling.

As early as the commencement of this century, there were a number of mills established in Pennsylvania and on the Mississippi, far superior to the old German mills. In Europe nothing was known of these new methods, employed among the American millers, as far back as 1781, since the first successful steam mill was established in London, in the year 1784. In France, however, no steam mill was built until 1826. In Germany there were, in 1825, mills operated by steam in several places.

At first it was generally supposed that an on successfully by the use of steam, but this opinion has since been proved erroneous entirely on water for their power.

The next great improvement was reached by the introduction of a better material for Ferté and the general introduction of American apparatus.

The first attempt to use rollers for milling purposes is said to have been made by Helfenberger of Rohrschach, some time between consisted of three corrugated rollers, two of which were placed side by side and the third below these. They made respectively 30, 40 and 48 revolutions and had consequently differential speed, so that the grain was not only crushed, but ground. A von Mueller is said to have been still better than Helfenberger's. A large number of mills on the neer Sulzbacher, in which the rollers were made by good builders, as here; but the tenarranged in three pairs placed horizontally dency seems to be, in the United States at above each other in such a manner, that the least, to introduce most generally another

middle pair, and from these on the lowest pair. The rollers ran with a speed of 350-450 revolutions. In Mayence and Milan, these rollers were made of cast iron with flutes of steel, arranged so that they could be removed when worn out. It was, already at that time, conceded that better results could be obtained by the use of rollers for milling, but, nevertheless, in all the places, where rollers have been employed in the thirties, such as Mayence, Leipsic, Munich etc., they were afterwards discarded, and their place again supplied with stones, because the poor quality of the costly materials, out of which rollers were made, caused them to wear out very quickly, a calamity which then appeared fatal to the otherwise promising innovation.

First with the unexpected and great improvements in the manufacture of iron, and especially steel was it possible to obtain a material for mill rollers, which answered all requirements, and from the time when it became possible to produce cast steel of excellent quality at a comparatively low price, we may date the firm establishment of the roller-mill system.

Finally Wegmann found a new roller material in porcelain and, at the International Exhibition of Vienna, in 1873, showed that he had reached remarkable results with his rollers in Naples. He thereupon commenced making experiments for this purpose, in Budapest, and there his system was adopted by the large firm of Ganz & Co, but modified so as to employ rollers manufactured by their peculiar process of hard casting, instead of porcelain. This firm have taken a prominent part in the entire revolution of the milling industry and development of the world-renowned Austro-Hungarian system of milling.

From Europe the rollers were introduced into America, and the first rollers were brought to this country by Oexle from Budapest. With usual enterprise, however, American industry at once, seized upon the manufacture of rollers, and it is not to be denied that the results obtained here in their production, within the last two years, have been so favorable that the millers of Austria-Hungary, who until recently were acknowledged as the leaders of the world in gigantic milling on scientific principles, have commenced looking for their laurels in alarm. In milling, as well as in all other branches of human industry, America is and will continue to be a formidable rival of the old world.-Die Mueller-Stube, (Vienna.)

THE EFFICIENCY OF MODERN TURBINES.

BY ROBERT H. THURSTON.

[From the President's Annual Address before the American Society of Mechanical Engineers.]

The mechanical engineer has open to him as his exclusive province one department which is as yet only partially developed in practice though well advanced in theory. I refer to that of hydro-mechanics, and especially the utilization of water power. Although one of the earliest opened by the old Greek engineers, it has been one of the latest developed. Archimedes, Ctesibus and Hero were familiar with the principles of fluid pressure; Torricelli, Pascal, Newton and Bernouilli developed the fundamental principles of hydro-dynamics; Du Buat, D'Aubuisson, Prony, Eytelwin, and above all others, Darcy, supplied experimental data; but it has been reserved for our own generation to apply the knowledge so early extensive flouring mill could only be carried acquired to the production of efficient hydraulic engines. But a few years ago the vertical water-wheel, as constructed by Fairba and many large establishments now depend for moderate and for high falls, and the undershot wheel of Poncelet, were the standard wheels in all countries, notwithstanding their cumbrous size, their slow movement, and the stones, which brings us to the time of the great cost involved both in their own conprevalence of French Buhr-stones from La struction and in that of their machinery of transmission. Their efficiency was thought high, although rarely exceeding 75 per cent. These wheels have had their day, and nothing is likely to occur to save the whole class from ultimate disuse. The turbine-intro-1820 and 1823. A mechanic by the name duced in an effective form by Fourneyon a of Bollinger improved this roller-mill, which half-century ago, and especially in the late forms of Fontaine, Henschel, Jonval, Schiele. and others abroad, and by Boyden and his successors in the United States-has become the only water-motor in general use. This small, cheap, quick-running wheel has completely displaced all the older forms, whether of Warsaw, also invented a roller-mill, which overshot, undershot, or breast wheels. The three principal types—parallel, inward flow, and outward flow-are all in use and roller system were erected in 1884, by Engi- doing good work. In Europe, they are all

the wheel built by Risdon. In efficiency, raise about 5,500,000 pounds through one a half a minute, and calling for more steam. notwithstanding the comparative neglect of foot. This is less than one-fifteenth part of I knew the game was up. these motors by scientific investigators, there the work performed by a modern pumping has been a steady and important gain during engine. late years. The improvements which have been felt out by makers, working often in the ironmonger, and John Cawley, glazier (whose dark-for few builders claim to understand names are associated as the makers of the the principles of their art, and no two even first engine that ever worked a pump,) put ever agree in their statements of the princi-up an engine at Wolverhampton which acted ples underlying their practice—have resulted successfully. The progress made was very in a gradual elevation of the standard, until, to-day, a wheel which, under favorable circumstances, cannot exhibit an efficiency of 80 per cent., must drop into the background. I have been asked to certify a trial, giving, as claimed, 95 per cent.; but that figure could, I am sure, only be attained by chance, if at all, when all conditions conspired in its favor. out the whole length of a shaft 267 feet deep, But wheels are, I have no doubt, doing work by the day and by the week at 80 per cent. Newcomen's engine was strong enough and It may be said that Boyden did as well a generation ago. True, but only with large wheels, built as carefully as the chronometer is made, and fitted with polished buckets and diffusers, and tested under conditions purposely made engineer and designer, improved the proporthe best possible. To-day, our builders of tions and modified materially the details of turbines give their wheels such exact proportions, and take such care in the ordinary work of the foundry, that they obtain these high figures from wheels almost directly from the sand. So far has this change gone, that our theory of the turbine, as modified by friction, requires careful revision. Accept- growth of the steam engine has reduced its ing the older coefficients for friction and losses of energy, it will probably sometimes be made to appear from experimental trials that the wheels of our best makers are a trifle better than perfect. It would seem from figures sent me that friction in a well-formed wheel becomes partly a means of transfer of energy from water to wheel, and that the loss of efficiency due to that element is much less than has been supposed. In some of the later wheels losses of energy due to eddies occuring within the flowing mass have been reduced to such an extent as to considerably improve their performance. In the regulation of the turbine an excellence has been attained that to his improved system. In 1765 Watt beis thoroughly satisfactory in some cases, and the best wheels have been found to give an efficiency at half and three-quarters gate, nearly equal to the best at full gate. As the efficiency at part gate is often more important than at full gate, it is easily seen that this means a vitally important gain.

HISTORY OF THE STEAM ENGINE.

The history of the "growth of the steam engine," as told by Prof. Channing Whitaker in a recent lecture delivered before the Rhode Island Association of Steam Engineers, is quite an interesting one. According to Prof. Whitaker the steam engine existed as a toy from 200 years before the Christian era until about 1690, or for nearly 2000 years. How much earlier it was used as a toy is not known. A useful steam pumping engine was introduced at Raglan Castle, in England, not much later than 1628. The steam engine became a useful machine because it was found capable in the hands of Savery, Newcomen and Watt, in England, in draining the rich mines of Cornwall and other districts. The inventions of both Savery and Newcomen were preceded by those of Denys and Papin, who invented a method of raising water not by means of steam, but by means of air. Thomas Newcomen, an iron founder, gave himself over early to the idea of supplanting the air the throttle and sailed out on the main line, pump with an invention of his own. His plan was: To fill a closed vessel of sufficient strength with steam of the atmospheric pressure, and afterwards by condensing the steam to cause a vacuum to be formed in the chamber into which the water would flow through a communicating pipe from the well beneath because of the atmospheric pressure upon its surface. During the same period Capt. Savery, a wealthy gentleman, became interested in the same kind of an invention. He devised and patented, in 1698, an invention for raising water by steam. He also published a treatise called the "Miners' Friend," in which he called the attention of owners of submerged mines to his new invention. * * This new engine of Savery's delivered water at a hight of nineteen feet above the surface of a well and made seven and a fourth strokes per minute, each stroke filling a receiver 2 feet in diameter and 7 feet high to a height of six feet. The work done was the raising of eighteen and three-fourths cubic feet of water per stroke through a height of nineteen feet, which was equivalent to raising 136 cubic feet per minute to the same height. The consumption of coal was 3,200 pounds in fourths bushels of eighty-four pounds per to the mile, and not a confounded brake set. samples of wheat from these high latitudes idle to deny and vain to disown."

About the year of 1712 Thomas Newcomen, rapid and it is recorded that in the year 1737 there was a pumping engine of the Newcomen construction working a succession of pumps, each 7 inches in diameter and twenty-four feet apart and making six feet stroke at the rate of fifteen per minute, whereby water was pumped from cistern to cistern throughby steam at or near the atmospheric pressure. well enough built in all of its parts to be practically successful, but it was not thoroughly well designed and the next important improvement came when Smeaton, a skilful Newcomen's design. In 1775 Smeaton erected an improved Newcomen engine at the Chase-Water mine in Cornwall. This had a cylinder 6 feet in diameter, with a 9-foot stroke, and was capable of producing 76 horse power. It is curious to note that the size so far that a high-speed engine which would produce the same power to-day as this enormous engine of Smeaton's did would have a cylinder only 9 inches in diameter and 16 inches stroke, instead of 72 inches in diameter and 108 inches stroke; or, to state the proportion in another way, the volume of the cylinder in which the power is produced would be only 1-216 part of that of the corresponding cylinder of the improved Newcomen engine. Smeaton's engine was the largest in existence at the time of its construction. It worked successfully for a few years and was then altered by James Watt gan to repair a model of a Newcomen engine belonging to the natural philosophy class in the University of Glasgow. This led to a series of improvements which have made his name so famous. * * * Probably no person ever introduced more or more important improvements in a single machine than Watt did in the steam engine. Watt invented the double-acting steam engine, in which the steam acts on each side of the piston alternately.

The concluding remarks of Prof. Whitaker were concerning modern engines, and especially those built in this country.

HOW THEY PLAY THE PIANO IN NEW ORLEANS.

"I was loafing around the streets last night," said Jim Nelson, one of the oldest locomotive engineers running into New Orleans, "and as I had nothing to do I dropped into a concert and heard a slick-looking Frenchman play a piano in a way that made me feel all over in spots. As soon as he sat down on the stool I knew by the way he handled himself that he understood the machine he was running. He tapped the keys away up at one end, just as if they were gauges and he wanted to see if he had water enough. Then he looked up as if he wanted to know how much steam he was carrying, and the next moment he pulled open as if he was a half an hour late.

"You could hear her thunder over culverts and bridges, and getting faster and faster, until the fellow rocked about in his seat like a cradle. Somehow I thought it was old '36' pulling a passenger train, and getting out of the way of a 'special.' The fellow worked the keys on the middle division like lightning, and then flew along the north end of the line until the drivers went around like a buzz saw, and I got excited. About the time I was fixing to tell him to cut her off a little, he kicked the dampers under the machine wide open, pulled the throttle away back in the tender, and Jerusalem, jumpers! how he did run. I couldn't stand it any longer, and yelled to him that she was 'pounding' on the left side, and if he wasn't careful he'd drop his ash pan.

'But he didn't hear. No one heard me. Everything was flying and whizzing. Telegraph poles on the side of the track looked like a row of corn stalks, the trees appeared to be a mud bank, and all the time the exhaust of the old machine sounded like the hum of a bumble bee. I tried to yell out, but my tongue wouldn't move. He went around curves like a bullet, slipped an eccentric, blew

and downward flow wheel-as illustrated in hour. Each bushel of coal would therefore She went by the meeting point at a mile and

"Sure enough, dead ahead of us was the headlight of the 'special.' In a daze I heard a crash as they struck, and I saw the cars shivered to atoms, people mashed, mangled and bleeding, and gasping for water. I heard another crash as the French professor struck the deep keys away down on the lower end of the southern division, and then I came to my senses. There he was at a dead stand-still, with the door of the fire box of the machine open, wiping the perspiration off his face, and bowing at the people before him. If I live to be a thousand years old I'll never forget the ride that Frenchman gave me on a piano."

WHEAT POSSIBILITIES IN THE FAR NORTH! BY W. J. ABERNATHY, ST. PAUL, MINN

In an article published a good many years ago, by a leading writer on agricultural matters, he makes this statement: The natural and permanent wheat region of the country lies between latitude 33 deg. and 43 deg. North. In other words, the wheat belt of the United States, according to this authority, lies between a line drawn through southern Arkansas on the South, and northen Iowa on the North. But actual experience soon demonstrated the fact that the northern limit was much above this; indeed, the line has gradually been pushed poleward, until to-day it reaches nearly to the Arctic circle. The conditions necessary for the development of the wheat plant have been very carefully studied by scientific men, and the laws which govern its growth are now well understood. It has been discovered that the plant requires from 100 to 150 days from the time of sowing the seed to the harvesting of the crop. From the time of heading out until maturity, the average period in the United States is from fifty to sixty days, and in England from fifty to seventy days, according to the amount of dry weather and sunshine.

The fact has been ascertained, also, that the average temperature during the summer months must not fall below 60 degress Fahrenheit, or during the average period of its growth below 56 degress. If this temperature is not attained the grain will not ripen and the crop is a failure. In the far northern latitudes of the American continent, nature is wondrously kind to the farmer. Way up in the Saskatchewan Valley, and further north to the system of rivers which flow into the Arctic Ocean, the conditions of the temperature named above are found to exist. Summer comes on all at once, and from the time the seeds sprouts until it is matured, there is hardly a moment's cessation of heat or growth. The transformation from cold to hot here is one of the marvels of the country. The days are immoderately long, the twilight shadows being prolonged to 10 or 11 at night. In consequence, wheat will mature in about 100 days and barley in 90, or, as it will be seen, in a much less period of time that in the United States. At Cumberland House, latitude 53 deg. 57 min., on the Saskatchewan River, in data which we have. wheat sown May 8, ripened and was cut the last of August, the mean average temperature being 61 deg. 8 min. At Fort Frazer, latitude 54 deg. 30 min., wheat matured in about the same period. At Fort Francis, in the Rainy Lake District, latitude 48 deg. 36 min., wheat sown May 1 was reaped the last of August. From Prince Albert, on the north fork of the Saskatchewan, we received last year a number of samples of beautiful wheat grown at that place. But this locality is near by compared with that still further to the northwest where this grain is grown. At Forth Vermillion, latitude 58 deg. 24 min., all kinds of garden stuff are grown. Barley sown on May 8 ripens in early August, and wheat in a little longer period.

At Fort Chipweayan, at the entrance of Lake Athabasca, latitude 58 deg., 42 min. from a report to the Canadian Government by a special commissioner sent to that section, we learn that wheat ripens every year without failure, and that he actually saw and handled samples weighing 68 pounds to the bushel. But Fort Simpson, 61 deg. north, bears off the palm. This is at the Hudson Bay Company's post. Barley ripens there every year, and wheat-so says the factor of the post-four years out of five. Fort Laird, however, in the same latitude, is equally entitled to credit, not only wheat and barley being grown there regularly, but garden vegetables as well. The factor at this post says injections of morphia, the profession should degrees west, and under the Artic circle, bar- ly deliver itself. At the present moment we twenty-four hours, or about one and three- out his soft plug, went down grades fifty feet ley is sown and matures." A number of are under a heavy responsibility, which it is

were sent to the Chamber of Commerce of St. Paul by the United States Consul at Winaipeg a year ago this winter, and through the kindness of the secretary of the Chamber they were placed in our hands for experiment. Samples were also received direct from Fort Vermillion, from the Hudson Bay Company and the Church Missionary Society at that post. All the samples were hard and dark colored, denoting a large proportion of gluten. They grew vigorously and matured early, as do all the northern wheats brought

So it seems there are almost limitable wheat fields to the north of us yet unnoticed. Competent authority estimates the area of this section, embracing Manitoba, Saskatchewan and Peace River countries, at about 200,000,-000 acres, nearly one-half of which is arable land, the other portion being suitable for pasturage. Whether the district will ever be settled or not depends on the "grit," if we may use the word, of the Canadians.

The Hudson Bay Company has had posts established all over British North America for a great many years, which proves that people can and do live there.

The Commissioner referred to above, who made a thorough exploration of the district, says that he was on the Peace River, which flows into the Arctic Ocean, all through the month of October, and that the constant record of the month was "warm sunshine, west wind, balmy atmosphere, and skies of the brightest blue." Even as late as Oct. 15, the thermometer was 48 degrees at daylight and 61 degrees at noon in the shade; and, within the foothills of the Rocky Mountains, he picked three species of flowers as late as the 26th of the month. Capt. Butler, in his "Wild North Land," speaks of the whole hillside at St. Johns being blue with anemones as early as April 22. More remarkable still is the statement that at a station on the Battle River, one of the tributaries of the Peace River, Indian corn has been successfully grown for several years in succession. So it is evident that there are yet untold possibilities and opportunities in the domain of agriculture on the American continent.

A CURE FOR SCIATICA .. - A correspondent, writing to London Vanity Fair, says: "A cure for neuralgia and sciatica—and, as I am told, an unfailing one-is too valuable not to be recorded. An English officer, who served with distinction in the war with Napoleon, was once laid up in a small village in France with a severe attack of sciatica. It so happened that at that time a tinman was being employed in the house where he lodged, and that this tinman, having been himself a soldier, took an interest in the officer's case, and gave him the cure, which, in this instance, succeeded immediately and forever, and which I am about to set down. It is at any rate so simple as to be worth a trial. Take a moderate sized potato, rather large than small, and boil it in one quart of water. Foment the part affected, with the water in which the potato has been boiled, as hot as it can be borne, at night before going to bed; then crush the potato and put in on the affected part as a poultice. Wear this all night, and in the morning heat the water, which should have been preserved over again, and again foment the part with it as hot as can be borne. This treatment must be persevered with for several days. It occasionally requires to be continued for as much as two or three weeks, but in the shorter or longer time it has never yet failed to be successful."

THE editor of the New Genesee Farmer has lately witnessed an experiment of driving nails into hard seasoned timber, fairly dried. He says that the first two nails, after passing through a pine board, entered about one inch, and then doubled down under the hammer; but on dipping the points of the other six or eight nails into lard, every one was driven home without the least difficulty. Carpenters who are engaged in repairing old buildings sometimes carry a small lump of lard or tallow for this purpose on one of their boots

THE Lancet says: "It is high time that attention was directed to the subject of narcotics generally, and the use of chloral and bromide of potassium in particular. Incalculable injury is being done, and public opinion is being grievously misled by the tolerance given to the use of 'sleeping draughts,' falsely so-called. In regard to this matter and that of the reckless use of hypodermic "that nearly every year in longitude 143 seek to form a deliberate judgment, and grave-

UNITED STATES MILLER.

E. HARRISON CAWKER, EDITOR.

PUBLISHED MONTHLY.

OFFICE, Nos. 116 & 118 GRAND AVENUE, MILWAUKEE, WIS. SUBSCRIPTION PRICE .- PER YEAR, IN ADVANCE.

To American subscribers, postage prepaid......
To Canadian subscribers, postage prepaid...... Foreign Subscriptions .. All Drafts and Post-Office Money Orders must be made payable to E. Harrison Cawker.

Bills for advertising will be sent monthly, unless otherwise agreed upon, For estimates for advertising, address the United States MILLER.

[Entered at the Post Office at Milwaukee, Wis., as second class matter.]

MILWAUKEE, APRIL, 1883

We respectfully request our readers when they write to persons or firms advertising in this paper, to mention that their advertisement was seen in the United States Miller. You will thereby oblige not only this paper, but the advertisers

Flour Mill Directory.

CAWKER'S AMERICAN FLOUR MILL DIRECTORY for 1882, was completed, ready for delivery February 1, 1882.

It shows that there are in the United States 21,356 flour mills and in the Dominion of Canada 1,488. The mills in the United States are distributed as follows:

Alabama, 388; Arizona, 17; Arkansas, 234, California 209; Colorado, 52: Connecticut, 309; Dakota, 44; Delaware, 96; District of Columbia, 7; Florida, 81; Georgia, 514; Idaho, 18; Illinois, 1258; Indiana, 1163; Indian Territory, 3; Iowa, 872; Kansas, 437; Kentucky, 642; Louisiana, 41; Maine, 220; Maryland, 349; Massachusetts, 363; Michigan, 831; Minnesota, 472; Mississippi, 297; Missouri, 942; Montana, 20; Nebraska, 205; Nevada, 10; New Hampshire, 202; New Jersey, 445; New Mexico, 28; New York, 1942; North Carolina, 556; Ohio, 1462; Oregon, 129; Pennsylvania, 2786: Rhode Island, 47: South Carolina, 205; Tennesee, 620; Texas, 548; Utah, 129; Vermont, 231; Virginia, 689; Washington Territory, 45; West Virginia **404**; Wisconsin, 780; Wyoming, 3; Total, 21,356.

The directory is printed from new Burgeois type on heavy tinted paper and is substantially bound. It makes a book of 200 large pages. The post offices are alphabetically arranged in each state, territory or province. The name of the mill, the kind of power used and the capacity of barrels of flour per day of 24 hours are given wherever obtained which is in thousands of instances. This work is indispensible to all business men desiring to reach the American Milling Trade.

Price Ten Dollars per copy, on receipt of which it will be sent post paid to any address. Remit by registered letter, post-office money order or draft on Chicago or New York made payable to the order of E. Harrison Cawker, publisher of THE UNITED STATES MILLER, Milwaukee, Wis.

The Louis B. Fiechter Manufacturing Co., of Minneapolis, has become incorporated with a capital stock of \$50,000.

THE MILWAUKEE DUST COLLECTOR MFG. Co. report business to be exceedingly good. They are running their works to full capacity.

THE Flour and Grain and Produce Exchanges at Pittsburgh, Pa. have consolidated, and it is thought that the results will be highly beneficial to the trade.

WE had a pleasant letter from R. L. Downton, and Tom. Miller, Jr., of St. Louis, the other day, and they say, that business was never better with them, than at the present

C. E. Wenborne, Esq., publisher of The Milling World, The Lumber World and the American Tanner, paid us a short visit, March 26. Bro. Wenborne reports everything O. K. all along the line.

Dull-duller-dullest is what millers all through the North-west say in regard to business at the present writing. It also seems ness will not be particularly good again for millers before May 1st.

now being constructed for the Russian Government by an American firm at Cambridgeport, Mass. The object glass is 30 inches in diameter. The Russian expert, Dr. Otto W. Struve, has recently arrived in this country to test it.

chanic; friction; ærostatics; hydraulics, hydrodynamics, dynamics, gravitation; animal strength, limes, mortar and cements; wheels, heat, water, gunnery, sewers, combustion, steam and steam engines, dimension of steamers, mills etc., and many other subjects too numerous to mention. The price of the work is \$3.00. It is a standard work and every practical man should own a copy.

According to Census Bulletin No. 304, the highest value of annual product, is awarded to the "Iron & Steel" industry amounting to \$551,543,109; next in order comes "Flour & Grist mill products" valued at \$505,185,712. So according to official figures we can say, that the "Flouring Industry" is second only n importance to any in the country.

A couple of changes in names of Milwaukee mills, have been made recently. The Milwaukee Milling Co's Mill is now called "The Jupiter Mill" and the former "New Era Mill" is now called the "North-Western Mill." The former is operated by Stern & Wohlrab, and the latter by F. Schleisinger

THE Milwaukee Dust Collector, Co., deserve great praise from all millers for the course they have taken to protect millers using their patented machinery. They have offered to file a bond with the Secretary of the Miller's National Association in the sum of \$50,000, to protect millers from all suits for damage for purchasing and using the well known Dust Collector.

SUNDAY, March 25, 1883, Timothy O. Howe of Wisconsin, Post Master General of the United States, died at Kenosha, Wis. The distinguished dead served the people of Wisconsin as Judge and United States Senator for a long term of years in a most creditable manner, and "died in the harness" as the head of one of the most important Government departments, full of honors and full of

CAPT. E. W. PRIDE, of Neenah, Wis., the Wisconsin representative of the Jno. T. Noye MANUFACTURING Co., called on us March 29. He reports business good. He says there is not a miller in Wisconsin so conservative but that he has made up his mind to make some important alterations in his mill. The "very Methusalehs" amongst the millers have acknowledged that the millstone must go, and advise the "boys" to put them in.

The Century Magazine for April is full of beau'iful illustrations and entertaining lette press. The cultured American finds it indispensible. The April number concludes the XXV volume. We have not space to mention the numerous articles contained in this number, but will say that he that hath missed reading "The Capitol at Washington," by Ben Perley Poore, and "The Primi ive Fishhook," by Barnet Phillips, has missed a rare intellectual treat.

THE CASE MANUFACTURING Co., of Columbus, O., inform us that they have been building a Centrifugal Reel for six months past, which they have been putting in all the mills they are building and changing over, and that it has proved itself to be one of the very best machines they have ever put on the market. They have not yet advertised their centrifuprobable, for a variety of reasons, that busi- gal or sought to put it generally before the milling public, yet they have filled a large number of unsolicited orders, the results from which are so satisfactory that they intend to THE most powerful telescope ever built is add it to their line of specialties. They state that one order includes seventeen of their centrifugals for one mill, six for another, &c.

HOW BUSINESS MEN ARE MADE

The readers of The United States Miller make the best flour in the world, and are inskill than they could gain in years by experience alone. Upon a sound theoretical basis it carries on a system of business practice and training that is like business in its operations and methods.

Further information can be obtained by addressing the principal of the college, R. C. SPENCER, Milwaukee, Wis.

The Mechanical News, N. Y., has, so to speak "put its foot in it." In a recent number it reproduces a page from "Al Ahram" (The Pyramids,) published in the Arabic language, in Alexandria. American citizens, the majority of whom are of course well versed in Arabic, will be shocked at the laxity of morals displayed in this extract, which smirches the hitherto clean pages of the Mechanical News. The articles therein entitled "The Trip of the Ass to the Bone Yard," and "A Night among the Palm Trees" are absolutely shocking.

The editor of the News should either plead his ignorance of pure Arabic or else make a most humble apology to his readers for a mis-application of editorial enterprise.

THE "BISMARCK MILL."

We translate the following from the March number of the Oesterr. Ungar. Mueller of Vienna, Austria:

The Case Manufacturing Company of Columbus, O., have recently brought out a newly invented roller-mill, which they have given the name of the "Bismarck Mill." This shows that the name of the great German statesman is recognized even in America as possessing peculiar advantages for making successful inventions known.

The advantages of this mill, which is provided with two pairs of rollers, are as fol-

A strong and well-proportioned iron frame without any wood whatever, exceptionally long bearings of Babbitt metal, a simple and convenient apparatus for regulating the rollers, noiseless working, freedom from dust, easy access to all the bearings for oiling, excellent arrangement of the pulleys, occupying only a small space, positive feed, comparatively low price, and withal unsurpassed

capacity, both as to quality and quantity.

A machine, that fulfills all that the manufacturers thus claim for it, cannot fail to push its way into general use among the American millers by its own merits.

RECENT MILLING PATENTS.

The following milling patents were issued from the United States Patent Office, Feb. 27, 1883. Grinding-mill, Daniel C. Stover, Freeport, Ill. Wind-mill, Geo. L. Stearns, Grand Haven, Mich.

The following patents were issued March 6, 1883. Dust-collector,-Assignor to Geo. T. Smith Middlings Purifier Co., of Jackson, Mich.

Millstone paint-staff, Martin W. Leonhardt, Sedalia, Mo. Centrifugal-machine, Johannes E. Meyer, Copenhagen,

The following milling patents were issued March, 13, 1883 Disintegrating-mill, Geo. Elbreg, Columbus, O. Flour-boll, Henry A. Graeter, Wooster, O. Decorticating-machine for grain, Joseph Jart-Cullman

Centrifugal-machine, Michael Wanner, St. Louis, Mo. Grinding-mill, James F. Winchell, Springfield, Q.

The following patents were issued March 20, 1883. Mill-disk dress, Louis Gathmann, Chicago, Ill. Grinding-mill, Robert McCully, Philadelphia, Pa.

Centrifugal reel, John J. Walterhouse, Vincennes, Ind. The following patents were issued March 27, 1883: Frinding-mill—John Beall, Decatur, Ill.

Turbine Wheel-Nathan P. Burnham, York, Pa. Disintegrating machine-Silas Dodson, New York, N. Y. Grain purifier and separator-Carl P. Gramke, Stettin, Prussia, Germany.

Cockle-machine—John Lucas, Hastings, Minn. Roller-mill-Daniel W. Marmon, assignor to Nordyke & Marmon Co. of Indianapolis, Ind. Automatic grain-measure -John L. Mayer and J. Sutter,

McLean Co. Ill Water-wheel governor—David and A. Narracong, Reeds-

burg. Wis. Grain-elevator—James B. Pelton of Frederick County, Md. Bolting-reel-Edwin S. Phillips and L A. Kealy, Lewis-

FOREIGN TRADE CIRCULARS.

make the best flour in the world, and are in telligent business men. Many of them have, we presume, acquired their business knowledge mostly by experience, and have found it a slow and costly way. They know and appreciate the value of improvements in making flour and are alive to and in sympath grant pathy with progress in general. They will and planing mills, and machine shops and factories.

We have received from the publishers, Messrs. Harper & Brothers of New York, "Haswell's Engineers' and Mechanics' Pocket Book" by Chas. H. Haswell, C. E., It contains a mass of information in a very condensed shape on the following subjects; weight of materials; latitude and longitude; cables and anchors; specific gravities; mensuration; me-Under date of March 15 Messrs. Harris Bros. & Co., 6 Crosby Square, London, writes:

Under date of March 14, Anton Kufeke, Liverpool, writes:

Liverpool, writes:

During the past seven days the weather has been unseasonably cold and considerable snow has fallen all over the country, accompanied by severe frosts, so that spring sowings have probably been interrupted to some extent. Farmers deliveries continue on a liberal scale, viz: 10¹⁰, 0¹⁰ qrs. of wheat at the average price of 42s, 6d. against 44s 9d during the same period last year. The flour trade during the past week has been extremely dull, and values for all descriptions of flour have ruled in buyers' favor, but the amount of business passing has been too small to test prices, which remain nominally unchanged. American quotations in some cases are materially lower, and after a long interval some business for shipment has once more become possible wheat has also been in very limited request and spot values have declined 2d per centa, whilst cargoes on passage are 6d to 1s per quarter lower to sell

From the Weekly Market edition of The Miller (London) bearing date March 19, we quote as follows:

Farmers' deliveries are now small, but com-pare well with those of the past three years, and when the differences are allowed between the returns of the 150 towns and 187 towns, the supply remains a good one, 152,000 qrs. of home-grown wheat in the midst of spring seeding. The English average price, 42s. 6d., remains very moderate.

The current American shipments are fair. Wheat, qrs. Flour, bags. Maize, qrs. To the U. K. . 178,000 ... 185,000 ... 122,000 ... 25,000 ... 30,000

and the visible supply goes on augmenting, contrary to the usual progress from winter to spring. This country's imports for the week were heavy in only one respect—that of flour.

 Wheat
 169,574 qrs., 504 lbs.

 Flour
 173,514 sacks, 280 lbs.

 Maize
 105,860 qrs., 480 lbs.

 Barley, beans, oats, &c
 548,400 cwts.

The question is now asked, would any other class interest besides that of milling remain inactive under the division of its profits of manufacture, such as the weekly import of nearly 200,000 sacks of flour constitutes? Brewer, as a class, are strongly represented in Parliament, whilst millers appear to have no voice even to call public attention to the simple fact of English millers being shouldered out of their mills by foreign supplies of flour that is not cheaper to the public than would be home manufactured flour. At the present time the business in flour is really unsatisfactory, and most foreign samples are 6d. per sack reduced in price, those of English make being difficult to move at the old rices asked.

Messrs. Dunlop Brothers, of Glasgow Scotland, writes under date of March 14, 1883, as follows:

Trade during the past week has been life-less, with values all tending in byuers' favor. Arrivals of wheat, flour, and oats are large; of other articles light.

The attendance at to-day's market was meagre, and the business transacted was trifling. Wheat was at least 3d. per boll cheaper, while sellers of flour would have submitted to a reduction of 6d. to 9d, per sack to effect sales. Maize was 6d. per 280 lbs. lower on the week; soft mixed being obtainable at 17-6. Other articles unchanged. Weather cold and wintry; heavy sleety showers falling.

LITTELL'S LIVING AGE. The numbers of the Living Age for the weeks ending Feb. 17th and 24th contain Sir Archibald Aliso's Autobiography, Quarterly; Charity in the Early Church, London Quarterly; Panislamism and the Caliphate, and England, France and Madagascar, Contemporary; Thomas Charlyle, Macmillan; Sketches in the Malay Penisula, Leisure Hour; Anthony Trollope, Good Words; Dawn of the Spring, St. James's; The Sponge Trade of the Bahamas, Oil, Paint and Drug Reporter; Escapes and Imprisonments of Latude; with instalments of "A Singular Case," "For Himself Alone," and Selections of Poetry.

A new volume began with the first number of January. For fifty-two numbers of sixty-four large pages each (or more than 3,300 pages a year) the subscription price (\$8) is low; while for \$8,50 the publishers offer to send any one of the American \$4,00 monthlies or weeklies with *The Living Age* for a year, both postpaid. Littell & Co., Boston, are the publishers.

THE BEST READING. Every family that desires to provide for its young people wholesome and instructive reading matter should send for specimen copies of the Youth's Companion. Its columns give more than two hundred stories yearly, by the most noted au.hors, besides one thousand articles on topics of interest, anecdotes, sketches of travel, poems, puzzles, incidents, humorous and pathetic. It comes every week, is hand-somely illustrated, and is emphatically a paper for the whole family.



STRONG,

AND


Hangers & General Mill Machinery, Stating Particulars of Stream, &c Address: T. C. ALCOTT & SON

Mount Holly, N. J. [Mention this paper when you write us.]

ELEVATOR HEADS AND FIRES.

BY H. B. HORTON, IN "AMERICAN MILLER."

It is a fact, well known to underwriters, that three-fourths of flour mill fires are night burnings, or occur when the mill is not run-There is nearly, if not quite, as great a percentage of them for which the cause is reported as "unknown." Usually these mysterious fir s are attributed to incendiarism, as being the easiest way to explain what appears to be otherwise unexplainable; but, unless it can be shown that millers are more dishonest than other classes of business men, or are more likely to have desperate enemies who single them out for fiery vengeance, incendiarism should not be credited with a larger proportion of mill fires than of those occuring in other business establishments, and some reasonable cause must be given for the many fires which develop when mills are closed and the origin of which seems shrouded in mystery. Spontaneous combustion is undoubtedly accountable for a large share of these burnings, and when one sees so many mills, where cleanliness is little regarded, the



wonder is that so few burn from this cause, rather than that so many are fired so suddenly and unexpectedly.

Aside from spontaneous combustion-the workings of rats or mice with matches, or from defective heating apparatus, it is difficult to imagine how an honest fire can be developed in an idle mill, unless it originated in Bombay, 1 million in Bengal, and the rewhile the mill was in operation and was mainder divided among the Provinces of smouldering in concealment when the mill was shut down. Hence it is to the place, where a spark may be deposited and live escaping observation for any length of time, that | Punjab, where it is estimated at 13½ bushels special attention and care should be given. There is no spot in a mill where this is more likely to occur and probably none where it 12 bushels per acre, though by high cultivadoes oftener happen than in the elevator head. Yet, until very recently, few millers have appreciated this fact, or given the matter a thought.

In late years great improvements have been made in nearly all classes of mill machinery, not only with the view of bettering the quality of products, but to safety in operation; but little or no change has been made irrigation is of special importance, and variin elevator heads to render them more secure, and millwrights as a rule are opposed to any change that may be suggested, ridiculing the the production of wheat is that of canal irriidea that the old style used for generations gation, which is now receiving the special atpast has any element of danger. Still the strut board is placed within an inch, or two inches and important works are being made and at most, from the pulley, and in a horizontal projected for an extensive system of canal position. The inclosure thus formed seon irrigation. One of these, the "Sirhind" canal fills with dust from the material elevated, in many cases packing so hard as to form a friction rubber for the pulley. The shaft settles long, and will irrigate 780,000 acres through and the pulley grinds upon the strut board or | 2,500 miles of minor channels. the buckets clog and the belt held, with immense friction on the revolving pulley, ignites the stuff which has been held in readiness for in drills or rows, and weeded like garden just such an accident. The fire so started will stuff, and in quantities not much larger than smoulder, as it will in "punk," for hours, giving out so little smoke or smell as not to attract attention, until it eats its way through the box to the air. Then comes the catastrophe. Another mill loss is recorded with the usual announcement that the cause is "unknown," or that it was probably the act of an incendiary.

The moral of all this is evident. A change in the mode of constructing elevator heads should be made so that such accidents cannot happen. The strut board should be placed so it would be impossible for the pulley to settle upon it, and inclined to such an angle toward the down-leg as would make it selfclearing after the manner shown in the accompanying cut. If the inner surface of the board were shellacked and smoothly sandpapered it would be better still. If there be no accumulation of stuff under the pulley to hold a smouldering spark, no friction less than that which would ignite the wood work, can do any material harm. If the wood be fired it must be when the mill is in operation, and when it would probably be early discovered under cirsumstances admitting a possibility of saving the property before serious damage occurred.

Co. have done much to call attention to the and especially in that class of mysterious burnings which make mill risks so unsatisfactory to the underwriters and effects so who are unfortunate enough to have losses resulting from them.

INDIAN VERSUS AMERICAN WHEAT.

COMMUNICATION.

[From Hon. Hans Matson, Consul General of the United States to Calcutta, British India, to the UNITED STATES MILLER.]

The annual production of wheat in British India has of late years increased, until it now reaches about 240 million bushels,* and the export for the last five years has been as

of which Great Britain and France have taken the following quantities:-

Assuming that 28 million bushels are held for seed, there will be left a home supply of 175 million bushels; how much of this is actually consumed, and how much stored away in reserve, it is impossible to ascertain; but it is well known that the quantity held in reserve is very large and usually estimated, with other bread-stuffs, sufficient for one whole year's consumption, and that it requires from two or three years' accumulated surplus to make up such reserve.

The total area devoted to wheat each year is now a little over 20 million acres, of which 7 million acres are in the Province of Punjab, 6½ million in the Northwestern Provinces and Oudh, 3 million in the Central, and 12 million Berar, Sindh, Madras, Ajmere, Mysore and British Burmah in the relative order named. The best average yield is obtained in the per acre, and in the Northwestern Provinces at 113 bushels; the general average is about tion and use of irrigation and manure, instances are not uncommon of a yield as high as 25 and even 30 bushels per acre.

CULTIVATION AND COST.

The latitude has but little influence on the wheat crop in India compared with differences in soil and mode of cultivation; the crop requires a great deal of moisture, hence ous methods are employed for that purpose; the one destined to become a leading factor in tention of the general and local Governments, in the Punjab, has just been completed; it was built mainly by prison labor, is 502 miles

The wheat is sown in the autumn and harsted in March or April: it is usually sown garden patches in the United States, but the agricultural population numbers nearly 200 millions, and it is the aggregate of innumerable little units which in agriculture, as in every thing else in India; brings the country into importance, and this fact is so closely interwoven with the whole social, industrial and legal network of India, that it bears a strong influence even upon the future question of Indian versus American wheat.

The Indian agriculturist "Ryot" can in no sense be compared to the American farmer, but rather to the serf of Russia. He is a tenant on hard conditions, and is by custom and bigotry almost a fixture on the particular spot of land where he was born; his farming is done on a very small scale and according to old methods, to which he clings with religious veneration; his wants are very few, and he endures poverty and even hunger with patience; he cultivates his patch of 5 to 15 acres on shares for the landed proprietor,

*Note.—There are as yet no complete agricultural statistics for India, and the figures given in this report, except those relating to exports, are based partly upon local returns, but mostly upon official estimates.—It is hoped-however, that for the objects in view they will be found quite sufficient.—They are given in round numbers for the sake of convenience.

The inspectors of the Millers' National Ins. "zemindar," who holds under rental to the government, and the better half of his gross danger of concealed fire in the ordinary ele- income generally goes to the zemindar, the vat or head, and many millers in their field of priest ("brahmin") and the usarer, in the operations, have adopted the style of head form of rent, presents, offerings and interest, represented in the cut. I am confident that and if he can net 10 cents a day by his hard were it generally in use, there would be a and hopeless labor, that will suffice for the great decrease in the number of flour mill fires most pressing wants of his household. His home is mud-or bamboo-hut, his property a pair of small bullocks, a few cows, calves and goats, a wooden cart and a few brass and unfavorably the reputation of those millers earthen pots, in all worth about fifty dollars, and his implements and tools are of the rudest kind, such as his ancestors used a thousand years ago; and yet he is making some progress under British rule, and finds his wants increasing, and at the same time better outlets for his produce and more recompense for his labor and on the whole, is so independent on 10 cents a day, that he will eat or store his wheat rather than sell it below a certain price. Of course he does not employ machinery in farming, but ploughs his land with a crooked piece of iron-pointed wood, harrows it with an implement resembling a common ladder laid flat on the ground and dragged by the little bullocks crossways over the field; he sows by hand, reaps with a rude sickle, carries the sheaves home on his back or in the bullock cart, threshes them with a wooden club, or lets the cattle tramp out the grain, and cleans it by hand-winnowing.

Under these conditions the ryot can afford to sell his wheat at the nearest market place, if within a day's journey of his home, for 50 to 60 cents per bushel; but when it does not bring that price, or very near it, he consumes his small supply or stores it in a hole under ground until a more favorable time shall come, and when it comes, he sells very short and uses millet and inferior grains for his family subsistence, so that a great elasticity in the amount of surplus is constantly kept up by the countless hosts of the ryots themselves.

And this same course will necessarily be pursued in the main for a long time to come, because the social and religious condition of the agricultural classes is such that it will take generations to make any material change among them. Then again, the cutting up of the land into small patches to suit the rapidly increasing population and for irrigation purposes, the absence of roads and bridges, the want of strength in draught animals, the poverty of the people, and other reasons, make it impossible to farm on a larger scale and to use machinery;* but even if all these objections were removed, the present cost of labor is too low even for the successful competition of farm machinery, and it may be regarded as certain that the cost of wheat as now produced is at, or near, the very lowest minimum, and when it does not bring 50 cents a bushel to the ryot, it will be consumed at home in lieu of other bread-stuffs and the wheat area will be temporarily diminished.

There are a great many varieties of wheat produced in India, and they have become more or less intermixed, though efforts are being made to separate and select the best or those most suitable for the European market. These have been divided into four principal groups, viz:-

1. The soft white wheat of a bright straw color and a white floury fracture. This variety is most suitable for the London market, and is in great demand by English millers on account of its dryness, to mix with moist English wheat.

2. The hard white wheat, with a brittle grain of a flinty or ricey appearance. This brings a higher price in Italy for the manufacture of macaroni than in London.

3. The soft, red wheat, which differs from the soft white only by the reddish color of the skin and a smaller berry; it is also very suitable for the English market.

4. The hard, red wheat which is of a dark brown color, translucent in appearance, with a smooth and glass-like fracture. It stands lowest in the London market.

Compared by English standard in quality and value to American wheat, select lots of first group have been found equal to the best Californian and Oregon, but the average best grade is between No. 1 and No. 2 Milwaukee and the relative values of the four Indian groups are as follows:

2nd group 5 cents per bushel less than 1st. 3 " " " " " " 2nd. 4 " 6 " " " " " " " 3rd.

The standard of all the groups is being gradually raised by more care in separating vari-

*Note.—The only exception would be in favor of a light, cheap hand-fanning mill, and that only because the grain cannot be properly cleaned and separated by present methods for the English market; and here is a good opportunity for some American manfuacturers, the English fanning mills sent here for trial having proved too heavy and exCARDEN CITY

lst Break Machine

BRUSH SCALPER

--WITH--

ASPIRATOR.

To Millers Operating Buhr Mills.

We guarantee to improve the grade of your flour by the use of our 1st BREAK MACHINE and BRUSH SCALPER. Putting in these machines will necessitate no other changes in the present arrangements in your mills.

To Millers Operating Roller Mills.

By the use of our 1st BREAK MACHINE and BRUSH SCALPER you can positively. remove all seam impurities and germs after the first break, thereby obtaining better results.

Write for descriptive catalogue and prices.

PRICES REDUCED!

IMPROVED GARDEN CITY

-WITH-

Traveling Cloth Cleaners.

Our improved Purifier has every device requisite to make it perfect, and every one in use is giving the greatest satisfaction to the users. The Cloth Cleaners are guaranteed to clean the cloth better than is done on any other purifier.

Over 4000 Garden City Purifiers in use, nearly 800 of which are the Improved Machine.

The Best and now the Cheapest. Write for circulars and price list.

We are agents for the

BODMER

Which has long been acknowledged as the best made, and which has lately been further improved, making it now beyond com-We make it up in the best style at short notice. Send for prices and samples.

Garden City Mill Furnishing Company,

CHICAGO, ILL.

[Mention this paper when you write to us.]

eties, more thorough cleaning and the use of better seed.

TRANSPORTATION.

The facilities for handling and transporting grain are very poor compared to the United States; there are no grain elevators and no facilities for shipping in bulk, but all grain must be put in bags, handled and carted by manual labor. The cost of ocean freight depends upon the fluctuations of the general steamship carrying trade, and varies so considerably that exporters can make no definite calculations ahead, but are obliged to watch their opportunities from week to week and from day to day. Nearly all the wheat exported goes through in steamers via. Suez Canal, and the time required for transit to London is, from Calcutta, 35 to 40 days, from Bombay 28 to 33 days, and from Kurrachee 30 to 35 days. While the wheat is exposed to the air during the inland transit and storage at the sea-port, it is liable to serious damage by the weevil, an insect germinating in the grain itself under the influence of heat; but when stored under ground it will keep in good condition for years, and even in a ship's hold it is comparatively safe during the time required for transit.

The money exchange market between London and India is constantly fluctuating, which causes another serious drawback to the export trade. The cost of inland freight, so far as the railroads extend, is fixed by Government and not liable to any material fluctuations. Trunk lines are already in operation through all the wheat producing provinces, and several branch lines have been built, while others are being constructed or projected; but compared to the principal wheat districts in the United States, Indian railroads are few and far between, and the work of construction is very slow. A very important line, the "Indus Valley," has lately been completed, and brings the Punjab in direct communication with the sea at Kurrachee, which is destined to become an important sea-port for the exportation of wheat. The following table gives the cost of transportation from the principal wheat districts to the sea-port:

From Punjab to Kurrachee.
Average distance 800 miles, freight per bushel 25 cents.
From N. W. Provinces and Oudh to Calcutta.
Average distance 700 miles, freight per bushel, 18 cents.
From Central Provinces to Bombay.
Average distance 460 miles, freight per bushel, 16 cents.
From Province to City of Bombay.
Average distance 150 miles, freight per bushel, 8 cents.

To this cost must be added the charges of the middle-men at the inland bazar, which will average 5 cents per bushel, and the cost of bagging, shipping and commission to the Exporter at the sea-port, 8 cents more; ditto insurance and landing charges in London, 5 cents; and ocean freight, which averages from Calcutta to London 30 cents, and from Bombay and Kurrachee 25 cents. Thus it will be seen that the actual cost of Indian standard wheat from the Punjab, N. W. Provinces and Oudh, where two-thirds of the wheat is produced, will average from \$1.16 to \$1.28 per bushel laid down in London, and while the wheat from the other provinces is somewhat cheaper, on account of the shorter distance to the sea-board, it is relatively inferior in quality.

About 7-20 of the export to Europe goes over Calcutta.
" 11-20 " " " Bombay.
" 2-20 " " " " Kurrachee

UNDEVELOPED WHEAT RESOURCES.

Tne total area of India under British administration is 904,000 square miles, and that of the native states 575,000 square miles, but the latter area is not dealt with in this report. The following table gives the area in each of the four principal wheat producing provinces, with the proportion of cultivated, culturable and unculturable areas, so far as can be ascertained:

Provinces.	Total area sq.,miles.	Cultivated area sq. miles.	Culturable area sq. miles.	Unculturable area sq. " miles.
Punjab Northwes- tern and	107,010	36,656	36,706	33,648
Oudh Central Bombay		51,000 22,840 35,053	20,139 26,755 4,022	33,892 34,613 34,533

provinces alone there are nearly 88,000 square miles or 56 million acres virgin land, the larger portion of which can be made suitable for with jungle, and the process of clearing is very slow and expensive, and that nearly all of it requires irrigation.

In order to facilitate the development of the wheat resources, and to assist the wheat export trade, the Government of India is pursuing a policy of encouragement, which has already resulted in better facilities of transit to the sea-board by the construction of new railways, and in reduction of freight; it has impossible to graduate the pressure without removed taxes, export and octroi duty; it is causing thereby unequal work. Only for one ling process.

cultivation of wheat and the improvement become equal to the top pressure. of the soil; constructing canals for irrigation and transportation, and in many other ways giving moral and material aid to this great cause, in the hope that India may ultimately become the granary of Great Britain.

When all these facts are summarized it wil be found:

That India can produce an average quality of wheat at as low cost to the producer as the most favored locality in the United States.

That she can now supply the European market with about 40 million bushels annually, and possesses facilities for increasing the supply to an almost unlimited extent, owing to the great elasticity of the home consumption and to the vast amount of land awaiting

That in quality, cheapness of transportation, facilities for handling, safety against damage during transit, and stability of money exchange, the American wheat, especially that from the new North West, has such advantages that there need be no serious apprehension on account of Indian competition at legitimate prices; but that in order to maintain this advantage, it is absolutely necessary that America should keep pace with India in the efforts to reduce and maintain freights at the lowest possible minimum.

On the other hand, it is an indisputable fact the grain markets of Europe, and a check against high prices, brought about either by speculation or any other unnecessary or artificial means.

And finally, that upon the basis of a fair average crop throughout the world, the American farmer will have to prepare himself to reduce the cost of production to the lowest minimum, and be content with small profits, or else wheat growing in India may be stimulated to such an extent that subsequent competition would become extremely formidable.

ROLLER MILLS.

BY THEODORE VOSS. [LONDON.] THEIR PRESSURE AND LEVER ARRANGEMENT. (Continued from March number.)

Steel pressure springs do not deserve to be so largely employed in roller mills as they are at present. They often vary in temper, and consequently do not produce the same pressure on each side. The continuous variations of tension to which they must be subjected alter their elasticity, and it is always impossible to know the exact amount of pressure which they exert. Weights, on the other hand, never change their influence; it is easy by their means to produce the same pressure on each side of a roller mill, and it is not difficult to graduate this pressure according to the nature of the material treated.

With regard to the proportions of a; b; c1 and c2; in accordance with different values of p we can draw some further interesting conclusions hy means of equation (3), viz:

$$p$$
 (b c_1 — a c_2) = 2 G (a + b) d
For instance, if we required to know the proper proportions of a and b for $p = 150$; 200; 300 and 400 respectively, we should find

200; 300 and 400 respectively, we should find as follows by choosing a + b = 100 a + p = 150; G = 100; $a \dagger b = 100$; d = 80; $c_1 \dagger a = 220$; $c_2 + b = 220$; $c_1 + c_2 + a + b = 440$; $c_1 + c_2 =$

 $c_1 = 194.2425$ $c_2 = 145.7575$ b = 74.2425 $P_2 = P_1 = 170.395$

For p = 200 we should find $c_1 = 188.1818; c_2 = 151.8182; a = 31.8182;$ b = 68.1818 and $P_2 = P_1$ 220.76 lbs,

For p = 300 we should find $c_1 = 182.12125$; $c_2 = 157.87875$; a = 37.87875; b = 62.12125; $P_2 = P_1 = 234.25$ lbs, and finally for p = 400

 $= 179.0309; c_2 = 160.9091; a = 40.9091;$ b = 59.0909; $P_2 = P_1 = 429.125$ lbs.

Thus it will be seen that by slightly alterfrom which it appears that in those four ing the proportions of a and b the necessary equality between top and bottom pressure can be easily obtained by employing a constant pressure p, adapted for the material to be the cultivation of wheat. It should be remem- treated. It is manifestly wrong to employ the bered, however, that this land is overgrown same proportions of lever a b for the different rollers. The crushing pressure of break rolls and smooth rolls differs widely, according to the

material passing through them, and the ma-

chines must be constructed accordingly. Many more interesting illustrations of the influence of the roller weight and the lever proportions, on the crushing pressure of such "three-high" rollers might be given, but those mentioned are sufficient to prove that it is


diffusing knowledge and instruction in the constant pressure does the bottom pressure

Every niller, however, who has had experience with roller mills, knows that it is not only necessary that these pressures should be equal, but also that they must be graduated. Such graduation of pressure is easily attainable in horizontal roller mills, where both roller pairs are independent, and also in on their surface; they therefore stand still, "two-high" roller mills, in fact everywhere and they then offer a very insufficient bearwhere the roller pairs are independent, but in ing surface. all "three-high" roller mills, where the bottom roller is connected by levers or springs with the top roller, such graduation creates inequalities of pressure and cannot therefore be obtained without serious disadvantages.


Another great disadvantage of all threehigh roller mills, is the vibratory motion of the middle roll between top and bottom roll. As soon as the bottom feed is momentarily greater than the top feed, the middle roll will be pressed upwards, and as soon as the top feed becomes greater, it will drop down again. The shaft of the middle roll always had (and always must have) sufficient play in its bearing for these vacillations; and as ently long to present a large bearing surface. the bottom and top feed are never quite equal, the middle roll will be continually changing its position between the top and bottom roller.

Not only the middle roll vibrates but also the top roll, which of course also has some that Indian wheat has already become, and play in its bearing. As can be seen from will continue to be, a very important factor in fig. 4, whenever there is a slight decrease in top feed, either on one side or the other, the top roll is drawn downwards by its own weight and thus the distance between the roller surfaces is continually changing.

A uniform effect on the feed is therefore difficult to be obtained and it is a fact that well managed horizontal roller mills, which allow much less vibration, would show better work than three-high rollers. It is a curious fact that no American manufacturers make three-high roller mills; they all make horizontal roller mills in which each pair of rollers has its independent pressure adjustment



The importance of arranging rollers so that in no case can they approach beyond a certhe attention which it deserves, and with reference to figs. 2, 3 and 4, it may be said that wherever the necessary crushing pressure is obtained by the action of springs or weights is always sufficient freedom in the bearings to allow the roller shaft to vibrate. These occasional contact, and that is the reason why they must be opened when running without feed. If in these roller mills, the rollers should really not touch, there would be no necessity to open them, when without feed.




If however in two-high roller mills (see fig. 4,) the top roll had sufficient weight to supply the necessary crushing pressure, no pressure against the bearing would be required, the top shaft would then lie at the bottom of the top bearing and as the bottom roll is also kept by its own weight in its lowest position, such rolls, when their minimal distance is once adjusted, cannot approach beyond this disstance. Therefore, even if slight irregularities in the feed should occur, the rollers cannot come into contact and no undue compression can take place. Such rolls therefore, do not require any levers or springs.

The weight of the top roll would be, so to say, carried by the feed, and therefore very little friction would be produced in the top bearings so that only the friction of the bottom bearings would have to be overcome.

It has been lately said by an advocate of three-high rollers, that anti-friction rings do not achieve the purpose for which they are intended, in fact the effect of such anti-friction rings was compared with the cold rol-

In the same manner it may be also said that frictions rolls fail to achieve the purpose for which they are intended. Friction rolls would of course reduce the friction to some extent, if they were running, but the practical difficulty is to keep them running. The majority of friction rolls, especially those which work in the bearings, soon become irregular



Such anti-friction appliances always make the roller mills very complicated and as their advantages are, to say the least, doubtful, it seems that ordinary well greased bearings are preferable, especially if they are suffici-

Having thus investigated the lever arrangement of some roller mills and the pressure required for different milling products, I come to the conclusion that levers and pressure springs should be entirely avoided; the necessary crushing pressure ought to be produced direct by the weight of the top roll (in twohigh rollers) instead of indirectly by pressing the bearings against the roller shafts.-From The Millers' Gazette (London.)

(CONCLUDED.)

O. J. BOLLINGER, of York, Pa, the wellknown manufacturer of water-wheels says in a recent communication about "Setting Turbines." I will not attempt in this limited paragraph to give directions in detail how to set wheels, or to show the many ways in which they can be applied to drive machinery, because the location has so much to do with the subject that it is only after an examination or survey of the situation has been made that this can be done (as it should be) to the best advantage, but will give a few leading points, viz: As a rule, make the size of penstock in the clear equal to twice the diameter of the wheel (proper;) larger is no harm, but seldom necessary. The most economical way to set a wheel at the bottom of the fall, (as it is usually termed,) is to frame a square (size of which I give to parties ordering wheels) in bottom of penstock to form the hole over which the wheel is set. This square should be of the same depth of timtain minimal distance, has not as yet received ber as the other bottom timbers, and should be made perfectly air-tight, and arranged so to dip, say one to two inches into the backwater when at the lowest point to which it can be drained when the wheel is not runagainst the bearing of the rollers, that there ning. This arrangement has two advantages. First-The penstock will become dry if the water is shut out. Second-It saves vibrations cause all these rolls to come into from six to eight inches in deepening the pit to get the requisite amount of room for the escape of tail water. But it must not be forgotten that if there are any air leaks between the wheel and the tail water, all the fall between the two is lost and does not act on the wheel. A more sure, but not cheaper, way, is to lay the top of the penstock sills as low as the surface of tail water, then after the bottom planks are put down the penstock will still be dry when the water is shut out. But this plan will require six to eight inches more depth of pit than the first, but there need be no apprehension about loss of head with proper vent under the penstock for the escape of tail water and sufficient capacity of flume to supply water to the wheel. If said flume consists of a single pipe it should in no case be of a less inside diameter than the diameter of the wheel which it is intended ed to supply; and if this flume, or pipe, is of considerable length, or if there are short turns, or elbows, it should be considerably larger.

COST OF WHEAT CARRIAGE PER BUSHEL.

The cost per bushel for sending wheat from the great centres of production and distribution to the leading markets of Europe, has been elaborately compared and tabulated as follows, by Mr. R. Meyer, in the Austrian Monthly of Social Science and Political Economy:


San Francisco England	to	20
The "Far West" Atlantic Harbor	10	40
New York, Liverpool		
		10
Chicago Liverpool		19
Bombay England		18
Calcutta England, via Suez18	to	29
Calcutta England, via Cape15	to	20
Australia England	00	21
Buenos Ayres Havre16	+0	
Odessa England or Antwerp13	w	24
Podessa England of Antwerp13	10	
PodwolocziskaDelhi		40
Brody		31
Ibraila London		17
Galacz.' Hamburg		51
Budapest Hamburg		39
Budapest Liverpool-on-Fiume		26
LembergFrankfort-on-the-Main		20
		23
Vienna Frankfort-on-the-Main		25
Vienna Fiume		26
Vienna Trieste		21

OUR SYSTEM


Of Gradual Reduction consists in making the earlier Breaks on the "Case Breaks." best in the world for the purpose. The following reductions are made on our 4-Roller belted Mill "Bismarck," which has the most simple, plain and thorough adjustments ever applied to a Roller Mill, one of the chief features of which is the

accomplished through our Automatic Feed Box, patented, the ONLY AUTOMATIC FEED in use on We make different lines of these machines for small, medium and large Mills. The Miller pays only for the capacity wanted, from 1 bbl. an hour upward. The strongest guarantee given in every case. Can refer to scores of Millers using our full system whose flour is up to the "top-most notch." Write for information. No trouble to answer letters.

The Case Middlings Purifier



- The Fan can be placed on top or end of Purifier-when on end it increases the length 39 inches, and diminishes the height 22 inches.
- B-Air-valve upper Riddle.
- C—Cut-off for upper Riddle, sliding one-half the length of Riddle.
- D-Air-valve, lower Riddle.
- E-Upper Riddle tails off here. F-Lower Riddle tails off here.
- G-Cut-off for lower Riddle, slid-ing one-half the length of Riddle.



H-Feed Box for upper Riddle.

I-Bolting Cloth for upper Riddle.

K-Purified Middlings from upper

L-Cut-off from upper Riddle.

M-Feed Box for lower Riddle. N-Bolting Cloth for lower Riddle,

O-Purified Middlings from lower Riddle.

P-Cut-off from lower Riddle.

The upper and lower halves are each a complete machine, and can be run together, or separately, as desired.

Still maintains its popularity in all sections of the country. An Iowa Miller writes to-day: "I would like other Millers to know what a grand Purifier I have." "It is doing most splendid work." "The Case is the best Purifier on the market." &c. This and hundreds of others similar in spite of the most bitter and unrelenting opposition ever encountered by any machine in any age or any country. The methods of one of our competitors, if made public, would disgrace the commercial records of the Fejee Islands. It would be too tame to call it Bull-dozing, co-ersing, intimidating or the like. It has meant more than these. But the vicious power of a tyranizing monopoly, damaging alike to Millers and Manufacturers, has been broken. Fair dealing backed by the best Purifier in the world has done it, and we feel it through every nerve of our business, that we are gaining and they are loosing friends. If you want the KING OF PURIFIERS buy the CASE and fear not. We are able to protect you. Don't believe a lie.


CASE MFG. CO.,

Millers visiting Chicago are invited to call on our Agent there

WM. E. CATLIN & CO., No. 57 SOUTH CANAL STREET.

Columbus, Ohio,

The Roller Buckwheat Shuc



This machine has been

THOROUGHLY TESTED,

GIVING THE

Largest Yield of Flour

FROM BUCKWHEAT ever obtained, PURE, WHITE, and FREE FROM POISONOUS SHUCKS. No Miller can afford to use any other. It will pay for itself in the saving and quality of flour in 1,000 bushels of grain over any other device now known. We have so simplified our Shucker that we require only one-half the power, with a large increase in capacity over our first Machines.

G. S. CRANSON & SON. Silver Creek, N. Y.

Waterous Engine Works Co., Brantford, Ont., AGENTS AND MFRS. FOR CANADA.

Please mention UNITED STATES MILLER when writing].

5300


'Triumph' Power Corn Shellers


Send for Descriptive circular and Testimonials.

ADDRESS

PAIGE MANUFACTURING CO.,

20, 22 and 24 St. Clair St., l'ainesville, O.





JAMES LEFFEL'S IMPROVED

Fine New Pamphlet for 1882.

The "OLD RELIABLE" with Improvements, making it the Most Perfect Turbine now in use, comprising the Largest and the Smallest Wheels, under both the Highest and Lowest Heads in this country. Our new Pocket Wheel Book for 1881 and 1882 sent free. Address,

JAMES LEFFEL & CO., Springfield, Ohic.

and 110 Liberty St., New York City.

[Mention this paper when you write to us.]

RICHMOND MANUFACTURING

LOCKPORT, N. Y.,

— Manufacturers of ——

RICHMOND'S CELEBRATED

Smut Machines,

Brush Machines,

Grain Separators,

and Bran Dusters.

Nearly Two Hundred of these Machines are now in opertion in the city of Minneapolis, Minn., alone, and more than sixty in the city of Milwaukee, Wis. They are also extensively used in many other sections, both on Winter and Spring Wheat.

SEND FOR DESCRIPTIVE CATALOGUE. -

A djustable Brush Smut Machine

[Mention this paper when you write.]

FROM 1-4 to 10,000 LBS. WEIGHT.

True to pattern, sound and solid, of unequaled strength, toughness and An invaluable substitute for forgings or cast iron requiring threefold strength. Gearing of all kinds, Shoes, Dies, Hammer-Heads, Cross-Heads, for Loco-

motives, etc.

15,000 Crank Shafts and 10,000 Gear Wheels of this steel now running prove its superiority over all other steel castings.

FRANK SHAFTS, CROSS-HEADS and GEARING, specialties.

Circulars and price list free. Address,

CHESTER STEEL CASTINGS CO.,

407 LIBERTY ST., PHILADELPHIA, U. S. A. REDFIELD

Patentee and general Agent for

REDFIELD'S COMBINED ELEVATOR & PURIFIER And the Champion Wheat Cleaning Machinery.

Large stock of Du Four's Bolting Cloth on hand, which we sell lower than can be purchased elsewhere. Cloths made up to order and guaranteed to fit, and be of the best material, and made in the most workman-like manner.

Send for catalogue and price list. It will pay you.

J. H. REDFIELD, Salem, Ind.

[Please mention the United States Miller when you write to us.]

WALKER BROS. & CO., FLOUR AND GRAIN

Commission Merchants

TRINITY SQUARE,

ENGLAND. LONDON, E. C., -

CHOICE BEVELLED EDGE

BRANDS FLOUR

For two dollars and upwards. Also RUBBER STAMPS BURNING BRANDS, SEALS, STEEL NAME STAMPS LETTERS AND FIGURES, Etc. Orders promptly atten-

Box 114

CHAS. H. CLARKE,

GANZ & CO., Budapest, Austria-Hungary.


We are the first introducers of the Chilled Iron Rollers for milling purposes, and hold Letters patent for the United States of America. For full particulars address as

[Mention this paper when you write to us,]



Mill Furnishing, Foundrymen & Machinists. Established 1851. MILL STONES. Flouring Mill Contractors. Send for Pamphlet. Nordyke & Marmon Co

82 Wisconsin St., Milwaukee. [Mention this paper when you write us.]



POOLE & HUNT'S Leffel Turbine Water Wheel

Made of best materials and in best style of workmanship.

Machine Molded Mill Gearing

From 1 to 20 feet diameter, of any desired face or pitch molded by our own special-MACHINERY. Shafting, Pulleys, and Hangers, of the latest and most improved designs.

Mixers and General Outfit for Fertilizer Works.

83 Shipping Facilities the Best in all Directions.

POOLE & HUNT, Baltimore, Md.

N. B.—Special attention given to Heavy Gearing for Pulp and Paper Mills. [Mention this Paper when you write to us.]

Stout, Mills & Temple,

DAYTON.

OHIO.

MANUFACTURERS OF THE



DU FOUR & CO'S CELEBRATED BOLTING CLOTHS. Tour and Paper Mill Machinery, Best Chilled or Por-celain Rolls for Crushing Wheat and Middlings and

GENERAL MILL FURNISHINGS.

The American Turbine, as recently improved, is unequaled in the power utilized from a given quantity of water, and is decidedly the BEST 'PART GATE" Water Wheel ever known. It has also been otherwise greatly improved.

Large Illustrated Catalogue Sent Free on Application. [Mention this paper when you write to us.]



CELEBRATED MILWAUKEE LAGER BEER Cor. Second and Galena Streets,

MILWAUKEE, - -WISCONSIN. BOTTLERS' SUPPLIES CONSTANTLY ON HAND.

[Parties corresponding will please state where they saw the advertisement.]

Buckwheat Refiners & Portable



Buckwheat Refiner Is the only Machine whereby the greatest yields of PURE, WHITE, SHARP FLOUR can be obtained. The only reliable, practical and durable Machine

IN THE WORLD.

Middlings Mill
Is strictly Self Protecting,
The BEST ADJUSTMENT
IN THE WORLD,
And the only
PERFECT GRANULATOR,
GRINDS COOL, SELF OILING,
GREAT SAVING OF POWER,
SIMPLICITY AND

SIMPLICITY AND Durability Combined.

AND AUTOMATIC

all our Goods. Send for descriptive Circular, giving Prices, Sizes, Terms, etc.

BREWSTER BROS. & CO., Unadilla, N. Y.

[Mention this paper when you write.]

HARRIS-CORLISS ENGINE.

-BUILT BY-

WM. A. HARRIS, Providence, R. I.

Built under their original patents until their expiration. Improvements since added: "STOP MOTION ON REGULATOR," prevents engine from running away; "SELF-PACKING VALVE STEMS" (two patents), dispenses with uffing boxes: "RECESSE VALVE SEATS" prevent the wearing of shoulders on seats, and remedying a troublesome defect in other Corliss Engines, "BABBITT & HARRIS' PISTON PACKING" (two patents). "DRIP COLLECTING DEVICES" (one patent). Also in "General Construction" and Superior Workmanship."

The BEST and MOST WORKMANLIKE form of the Corliss Engine now in the market, substantially built, of the best materials, and in both Condensing and Non-Condensing forms.

The Condensing Engine will save from 25 to 35 per cent. of fuel, or add a like amount to the power and consume no more fuel. Small parts are made in quantities and inter-changeable, and kept in stock, for the convenience of repairs and to be placed on new work ordered at short notice.

NO OTHER engine builder has authority to state that he can furnish this engine.

The ONLY WORKS where this engine can be obtained are at PROVIDENCE, R. I., no outside carties being licensed.

WM. A. HARRIS, Proprietor.

[Mention this paper when you write to us.]

MILLERS THE AL INSURANCE

WISCONSIN

is now issuing Policies of Insurance on all approved applications received so far. The Company has now sufficient members to allow it to increase the risks on any one Mill from \$1.000 to \$3.000.

All matters relating to Insurance should be addressed to JOHN SCHUETTE, Sec., Manitowoc, Wis.

[Please mention the United States Miller when your write to us.]

CURRENT MATTERS INTERESTING TO MILLERS.

The United States Miller Reporter interviews Secretary Seamans.

Our reporter, desiring to learn something of interest to millers, recently called on Secretary Seamans of the Millers' National Association, and the following interview was the

Reporter-Mr. Seamans, if you are not too busy, I would like to get a few points that may STATES MILLER.

Sec'y Seamans-Well sir: you are welcome to any information I can give you, provided you send me proof of the article before it is published. I have been grossly misrepresented by some of the reporters for the daily press, and am getting rather chary of interexception, however.

R.—The MILLER will be pleased to accede to your wishes and endeavor to report you correctly. What information can you give us regarding the machine wanted for compressing bran?

S.-I have received something over 80 letters, besides several personal applicationssome with plans, others making inquiriesquite a number report that they are at work upon a machine that will be a success. One party says he has a machine "cost \$100, pack one to two tons per hour, and filling all our requirements." Here is a letter, quite a curithe letter, (if you can); the sketch is very simple-but you'll have to get a Polack to interpret the letter.

R.-From the correspondence received, what do you consider the prospect for getting authority for the information is good, who is a successful machine.

S.-Very favorable.

R.—Do you mean to say that you believe a successful machine will be produced answering the requirements of your circular letter?

S .- Practically, yes. Our committee, while in Chicago, last week, visited a machine and saw it working, that compresses dry bran more densely than we require it at the rate of three or four tons per hour; but the machine is too cumbersome and costly for ordinary mills. I see no reason, however, why it cannot be modified very materially to answer for steam mills, or for water mills, by using compressed air.

R.-I notice some of the papers are disposed to ridicule the offer of \$1,000 for such a machine as too small.

S.—Yes, they seem to have "gone off halfcocked" with the idea that this amount was to buy the machine or invention outright; the fact is a less sum would have answered the purpose just as well as more—the object being to direct attention to what was wanted-and the convention? it will be produced without doubt; and this is the true way to get desirable improvements.

R.—If you succeed in bringing out a successful machine, the Cleveland Convention the rate of \$100 a machine and have been for will not have been in vain.

S.—The Cleveland Convention was a success in more ways than one. Never has there been a time when millers looked so carefully into the title of the machinery they so many letters desiring information on this or pretend to. subject-particularly about rolls, centrifugals and dust collectors. In fact, the necessity was never before so imperative; infringements seem to stare you in the face on every hand.

R.—What reply do you generally make? S .- It depends on circumstances; but generally "To buy only of parties who are willing to secure them in their purchases."

R.—Is it a fact, as I have heard it reported, that some manufacturers have agreed to put a bond with the Association to protect their customers?

S .- Yes. One party has agreed to put up such a bond with a member of the Sub-Ex. Committee as trustee, for such a purpose.

R.-Will you give me the name of the

S .- No sir. Not until the matter is consummated—the bond executed and delivered; then it will be published and a circular letter

sent to every member of the Association-R.—Which will give their machines a boom. ' S.—Undoubtedly.

R.—Why would not this be a good scheme for others to adopt?

S .- It would, if they are clear in their title to patents on the machines they manufacture. R .- By the way, have you seen the "Mill

Stone" for March? S.—I am not a subscriber to that paper,

and am not a honored as a D. H. R.-Well, I brought along a copy, thinking, if you had not seen it, it might be interesting | Chamber Committee."

to look through, inasmuch as they seem to have devoted considerable space and some art for your benefit.

S.-Yes, particularly the art; such art is not argument-however it's a good illustration, though the driver is ran(c)k and the ass before the wagon is VERY ran(c)k. The roller mill on the wagon looks like one built by the backers of the "Mill-Stone" with all of Allis' patented improvements. I suppose this fellow has got down into the Hoop-Pole district of Indiana, be of interest to the readers of the UNITED hoping to fool that old miller at the door by selling him a machine covered by patents belonging to everybody but the manufacturer of those machines; and perhaps Allis sent him notice of infringement, and perhaps he is the reason why a manufacturer of rolls was up here from Indiana with his attorney, viewers—the milling papers generally, are an to see Allis & Co., last week to "arrange things;" and perhaps you'll give my compliments to the "Mill-Stone," and say that the effort reminds me of the butter made in the western country at a very early day, when the cows fed in leek pastures,-it smells very like it.

> R.—I see he gives you a dose on "Bed Rock" patents.

S.-Yes. I see, too, he intimates George Harding is receiving \$6,000 a year and expenses looking after the Denchfield matter. That intimation he kaows to be untrue, unworthy a publisher claiming to supply facts to sensible readers. In regard to the Mechwart or osity. I have no objections to your reading Ganz patents, I stated this in my report at Cleveland: "I am informed that we may expect ere long to be met by a 'bed rock' patent on the corrugating and use of corrugated chilled iron rolls. If this proves true, and my to defend it? It certainly ought not to fall upon the 2,500 capacity now represented in our association, while the 20,000 outside will reap equal benefits."

While my "authority" put it in much stronger language than I made use of, and being an extensive miller, interested in no way, directly or indirectly, with the building of mill machinery, and coming to me just prior to the meeting of the convention, I presented it before that body, as it was my duty to do. While I may not have the faith of my informer in the validity of the claim, and while I have since found he was mistaken in regard to some points he named, the indications still exist that some one will have to take up its defense. Who is that some one that is to be? Let the Mill-Stone answer. It is not necessary to "lash in outsiders." I think their day of retribution is not far distant, and I am willing they should have the full enjoyment of it.

R.-Do you believe the Consolidated Co. mean business, as outlined in their letter to

S .-- I know but little outside of Wisconsin as to their intentions or what they are doing; in this State they are collecting royalties at 18 months.

R.—This is where they use the brush, I

S .- Oh no. If an outsider hasn't a licensed machine, brush or no brush, they cover it just desired to purchase, and never have I received the same with some of their legion of patents;

> R.—Do they trouble any of the members of your Association? S.-Not unless they refused to accept the

'79 compromise. R.—Do they carry out the agreement with the Association, giving a reduction to mem-

bers buying purifiers? S .- So far as I know they have done so in every instance, where the members ordered direct. I am promised a statement of how

much this discount amounts to, and am assured that the amount will astonish me. R.-I would like to ask one question in regard to what was meant by "impending lit-

igation" referred to in the call for the Convention at Cleveland? I notice one of the milling papers mentioned that it was the matter of the G. T. Smith Middlings Purifier Co., refered to in their letter read before the Convention. Was that a fact?

S.-No sir. I never saw or heard of that letter till the evening before the Convention met. We've nothing to do with the G. T. Smith Middlings Purifier Co., except to buy purifiers of them at the discount agreed upon.

The "impending" matter was not in a shape to bring before the Convention, consequently remains as it did prior to the meeting. It is one of those cases, like many others that have been before the Committee; their lips are sealed and it would not do to show their hands till the proper time comes.

R.—And that's why they call you a "Star

that each State annually elects a member of the Executive Committee, and the Executive Committee; its the easiest thing in the world Allis & Co., Milwaukee, Wis. to have a new Sub-Committee every year, if desired.

R-When do the State Associations have their annual meetings?

S.—Minnesota, Missouri and Wisconsin, and frames, for their hominy mill. I think Illinois, on the 2d Tuesday in April, which is the 10th this year.

R.-Who will be the next President of the National Association?

S.—Give it up. Mr. Bain declares he will not take it again, and I am sure means what went" for that salesman, and probably that he says; C. H. Seybt would make a good one, but I don't think he would serve. W. P. everybody, and he takes great interest in the O., for a Gray's noiseless belt roller mill. success of the Association. We have plenty of good "timber," so I don't think we will lack for a good man.

NEWS.

THE City Mills at Anna, Ill., burned April 1. Loss \$19,000; insurance \$9,000

THE Case Mfg. Co., have sold L. Clisby & Son, Parker, Dakota, breaks and rolls.

S. LITZENBERGER & Co.'s mill at La Fayette, Ind., burned March 19. Loss \$30,000; insurance \$20,000.

KELLY REED & Co.'s flouring mill at Elgin, Ill., burned March 28. Loss \$25,000; insurance \$15,000. GEO. O. Baker & Co., Selma, Ala., have ordered breaks

and rolls from the Case Mfg. Co., Columbus, O.

THE Case Mfg. Co. Columbus, O., are furnishing E. H Brooks, Carrol, Iowa, with some new machinery.

THE Case Mfg, Co., Columbus, O., have sold to Geo. F Merz, Rochester, N. Y., a line of break machines. THE Case Mfg. Co., Columbus, O., have furnished C. M.

Ott, Olathe, Kans., with some additional machinery.

Messes. Zirkins & North have recently purchased two more pairs of Allis rolls in Gray's noiseless belt frames

THE Case Mfg. Co. Columbus, O., are furnishing H. Weesman, Logan Station, Mo., with some new machinery. THE Case Mfg. Co., Columbus, O., are furnishing J. P. Roberts Eaton, Rapids, Mich., with some new machinery.

Mr. J. C. Warren of Wauwautosa, Wis., recently put in eight pairs of Allis rolls, all in Gray's noiseless belt frames. D. H. TYLER of Mosherville, Mich., has ordered of The Jno. T. Noye Mfg. Co. of Buffalo, N. Y., one pair of Stevens

GOOLD & Shaw, New Windsor, Ill., will start up their mill in a few days on the Case system, of gradual reduc-

THE Case Mig. Co., Columbus, O., are furnishing John Brinks Jr., Amelia C. H., Va., with a line of new machi-

R. Laub, Brimfield, Ill., has just placed his order with Stout Mills & Temple, Dayton, O., for Livingston roller

PUTNAM Bros., Wilmot, O., have recently ordered Livingston roller mills, from Stout Mills & Temple, Dayton, THE Case Mfg. Co., Columbus, O., have furnished B.

Savage & Son, Alton, Iowa, with some additional machi-THE mill of Forseman Bros. Circleville, O., lately started

up on the Case system of gradual reduction, with splendid GEO. L. Hays, Piketon, O., started up his mill a few days ago, on the Case system of gradual reduction, with splen-

did results. THE works of the Sandwich Mfg. Co. of Sandwich, Ill.,

were recently damaged by fire to the extent of \$18,000. No insurance MESSRS, EDW. P. ALLIS & Co. of Milwaukee, Wis., recent-

y sold Mr. H. Greer of Decorah, Iowa, a Gray's noiseless belt roller mill. Mr. Alex. Ault, Bellaire, O., has purchased a Gray's

noiseless belt roller mill, of Messrs. Edw. P. Allis & Co., of Milwaukee, Wis. GEO. Heilman & Co., Evansville, Ind., have just ordered

of Stout Mills & Temple, Dayton, O., three double sets of Livingston mills. D. B. Sears Sons, Rock Island, Ill., have given their

order to Stout Mills & Temple, Dayton, O., for additional Livingston rolls. HANAWATT & CO

their mill on the Case gradual reduction system, with splendid results. MESSRS, EDW. P. ALLIS & Co. of Milwaukee, Wis., re-

cently sold the Rolla Mill Co. of Rolla, Mo., a Gray's noiseless belt roller mill. THOS. BRADFORD & Co. of Cincinnati, O., have placed

an order with The Jno. T. Noye Mfg Co., Buffalo, N-Y., for Stevens rolls. THE Renick Mill Co. of Renick, Mo., have been improv-

ing their mill by adding an outfit of Allis rolls in Gray's noiseless belt frames.

OWEN Evans, Limerick Station, Pa., has placed an order with The Jno. T. Noye Mfg. Co., Buffalo, N. Y., for one pair of Stevens rolls. MESSRS, EDW. P. ALLIS & Co. of Milwaukee, recently sold

Messrs. Burroughs & Pierson of Flint, Mich., a Gray's noiseless belt roller mill. MESSRS. J. B Stewart & Co., of Buda, Ill., has put in an

Allis' noiseless belt roller mill, from Messrs. Edw P. Allis & Co., of Milwaukee, Wis. THE Case Mfg. Co. Columbus, O., have taken the con-

tract of C. Harvey Wilber, Saline Co., for a line of machinery of their manufacture. Kansas City Milling Co., Kansas City, Mo., have just given their order to Stout Mills & Temple, Dayton, O., for

two pairs Livingston rolls. MESSRS. J. Q HALTEMAN & Co. of St Louis, recently or dered a Gray's noiseless belt roller mill from Messrs. Edw.

P. Allis & Co., Milwaukee, Wis. MESSRS. HERZOG & ROBERTS of Racine, Wis, recently purchased Gray's noiseless belt roller mill of Messrs. Edw.

P. Allis & Co. of Milwaukee, Wis. Jas. K. Hurin of Cincinnati, O., after having used Allis rolls for some time, has shown his appreciation of these rolls by again placing his order with Messrs. Edw. chinery for a mill of 600 barrels capacity.

S.—I suppose so; but they forgot to mention P. Allis & Co. of Milwaukee, Wis., for twenty-eight pairs of the celebrated Allis rolls, all in Gray's noiseless frames, for his new mill at Cincinnati.

MR. T. TRENCHARD of Fairton, N. J., recently purchased Committee annually elects the Sub-Executive a Gray's noiseless belt roller mill from Messrs. Edw. P.

> GAFF, Gent & Thomas, Columbus, Ind., have left their order with Stout Mills & Temple, Dayton, O., for six pair Livingston rolls, for first break.

THE Hudnuts, of Terre Haute, Ind., have purchased two pair more of Allis rolls, in Gray's noiseless belt MESSRS. Dunlop McCance, of Richmond, Va, recently

purchased a Gray's noiseless belt roller mill, from Messrs. Edw. P. Allis & Co., Milwaukee, Wis. MESSRS. A. J. KNOBLOCK & Co. of Bremen, Ind., has purchased a Gray's noiseless belt roller mill from Messrs.

Edw. P. Allis & Co., Milwaukee, Wis. J. W. Smith of Bloomer, Wis., has recently purchased a No. 2 four-break machine from Messrs. Edw. P. Allis & Co.,

Reliance Works, Milwaukee, Wis. MESSRS. EDW. P. ALLIS & Co. of Milwaukee, lately re-Brown, of Red Wing, I believe would suit ceived an order from Messrs. Hicks & Cooper of Canton,

> THE Lanier Mill Co. of Nashville, Tenn., recently placed their order with Messrs. Edw. P. Allis & Co. of Milwaukee, Wis., for a Gray's noiseless belt roller mill. MESSRS. Edw. P. Allis & Co., Milwaukee, Wis., recently

> sold Mr. G. Ziebold, of Rose Bud, Ill., eighteen pairs of Allis rolls, in Gray's noiseless belt frames. MESSRS. Fries & Minnet Bros., of Saline, Mich., recent-

ly purchased a Gray's noiseless belt roller mill, from Messrs. Edw. P. Allis & Co., of Milwaukee, Wis. MESSRS. Willy & Co., of Appelton, Wis., have put in two

pairs of Allis rolls, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., of Milwaukee, Wis. MESSRS. Knoebel Bros. of Believille, Ill, lately pur-

chased two pairs of Allis' rolls, in Gray's noiseless frames, from Mr. Edw. P. Allis & Co., of Milwaukee, Wis. Mr. D. Hamil, of Newton, Kans., has put in two pairs

of Allis rolls, in Gray's noiseless belt frame, recently from Messrs, Edw. P. Allis & Co., Milwaukee, Wis. FRANK Dentler, of Parkville, Mich., has placed an order

with The Jno. T. Noye Mfg. Co., of Buffalo, N. Y., for a full line of the celebrated Stevens roller mills. Heinold, Rodenbaugh & Co., Lancaster, N. Y., have

ordered of The Jno. T. Noye Mfg. Co., of Buffalo, N. Y., one Stevens roller mill, for grinding middlings. H. S. Snavely, Junction, Lancaster Co., Pa., have placed an order with The Jno. T. Noye Mfg. Co., Buffalo, N. Y.,

for one Stevens roller mill, for germ crushing. THE Case Mfg. Co, Columbus, O., have the order of McKinnon & Co, Concordia, Kans., for one first break ma-

chine and scalping reel, making 3 separations. MESSRS. Bdw. P. Allis & Co., of Milwaukee, Wis., recently sold Messrs. H. Nunnemacher, & Co., of same place

another of their Gray's noiseless belt roller mills. MR. JNO. CREE of Detroit, Mich., has improved his mill and added a Gray's noiseless belt roller mill purchased from Messrs. Edw. P. Allis & Co. of Milwaukee, Wis.

MR. L. B. Brillhart, of Kendaliville, Ind., lately put in a Gray's noiseless belt roller mill, from Messrs. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis.

CROWGILL & Hill, of Carthage, Mo., are putting in rolls, and for that purpose have lodged with The Jno. T. Noye Mfg. Co., an order for four double Stevens roller mills.

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., re. cently sold Messrs Mauro & Neyhart, of Auburn, N. Y., two pairs of Allis rolls, in Gray's noiseless belt frames.

THE Cockle Separator Mfg. Co. recently placed their order with Messrs. Edw. P. Allis & Co. of Milwaukee, Wis., for six pairs of Allis rolls in Gray's noiseless belt frames. MR. H. Julius Klingler, of Butler, Pa., recently pur-

chased four pair of Allis' rolls, in Gray's noiseless belt frames, from Mr. Edw. P. Allis & Co., Milwaukee, Wis. MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., recently received an order from Messrs. Wolf & Hamaker.

of Allentown, Pa., for one Gray's noiseless belt roller mill, Messrs. Edw. P. Allis & Co. of Milwaukee, Wis., recently filled an order for forty pairs of Allis rolls in Gray's noiseless belt frames from Mr. Ferd, Schumacher, of Akron, O.

MESSRS. FATH, EWALD & Co. of St. Louis, Mo., recently purchased twelve pairs of Allis rolls in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., Milwaukee

MESSRS. EDW. P. ALLIS & Co. of Milwaukee, Wis., recently filled an order from Messrs. Richards & Butler of Indianapolis, Ind., for six pairs of Allis rolls in Gray's noiseless frames.

MR. RUSTIN of Evansville, Ind., recently ordered 22 pairs of Allis rolls in Gray's noiseless belt frames from Messsrs. Edw. P. Allis & Co. of the Reliance Works at Mil-

Wм. Noтвонм of Delafield, Wis., has just given Capt. E. W. Pride his order for a full line of Rounds' sectional coller mills manufactured by The Jno. T. Noye Mfg. Co. of

MR. A. EISENMAYER of Trenton, Ill., through Messrs, J. Q. Halteman & Co. of St. Louis, has placed his order with Edw P. Aliis & Co. of Milwankee, Wis., for Gray's noiseless belt roller mill.

MESSRS, SHELLABARGER & GRISWOLD of Topeka, Kas., lately put in another Gray's noiseless belt roller mill in their mill at Topeka; same was from Messrs. Edw. P. Allis & Co., Milwaukee, Wis. THE Great Western Mfg. Co., Leavenworth, Kas., recent-

ly placed their order with Messrs. Edw. P. Allis & Co. Milwaukee, Wis., for a Gray's noiseless belt roller mill for one of their customers. MESSRS. RICHARDS & BUTLER of Indianapolis, Ind., have

placed their order with Messrs. Edw. P. Allis & Co. of Milwaukee, for fourteen pairs of Allis Rolls in Gray's noiseless frames for mills that they are furnishing. MESSRS. EDW. P. ALLIS & Co. of Milwaukee, Wis., recent-

y took the contract for furnishing Mr. J. O. Kendall's mill, at Hartford, Wis. The mill when completed will contain twelve pairs of Allis rolls in Gray's noiseless belt frames. MESSRS EDW. P. ALLIS & Co. of Milwaukee, recently

took a contract for furnishing Mr. C. J. Spillman's mill at Bryantsvillle, Ky., and are putting in two break machines and six pairs of the celebrated Allis rolls in Gray's noise less frames

GEO. A. MIX, Oregon, Ill., has recently remodeled his mill and placed his order with Messrs. Edw. P. Allis & Co. for the machinery, which included two of their No. 1 sieve reduction machines and four pairs of Allis rolls in Gray's noiseless belt frames.

MESSRS. EDW. P. ALLIS & Co. of the Reliance Works Milwaukee, Wis., have secured the contract for building and furnishing the new mill of Messrs. J. W. Kauffman, at Bethalto, Ill., and will put in two No 1 sieve reduction machines, and thirty-six pairs of Allis rolls in Gray's noiseless belt frames, together with all the other necessary ma-

BENSON & Spurling, Union, Iowa, have added one 9x18 smooth roll, with patent automatic feed, from the Case Mfg. Co., Columbus, O.

S. G. Fogus, Reno, Nevada, has placed his order through Wm. E. Catlin & Co., with the Case Mfg. Co., of Columbus, O., for breaks, rolls, etc.

SMITH Hill & Co., Quincy, Ill., have ordered from the Case Mfg. Co., a line of break machines, for the mill they are building at Chillicothe, Mo.

J. B. Isett, Spruce Creek, Pa., is putting in one "Little Giant" break machine and scalping reel, making three separations, from the Case Mfg. Co., Columbus, O.

Споисн & Bro. at Erie, Pa., have given way to the roller boom and will put in ten pairs of Stevens rolls, to be furnished by the John T. Noye Mfg. Co., Buffalo, N. Y.

SHULER & Co. of Minneapolis, Minn., have lodged an order with The Jno. T. Noye Mfg. Co., for a Rounds : ectional roller mill for Martin Martins, Merillan , Wis.

THE JNO. T. NOYE MFG. Co. have booked an order for a three-break Noye improved concentrated roller mill, with Stevens rolls, and twelve pairs of line rolls for the Pacific

COLEMAN & Hahn, Homer, O., have now been running their mill on the Case system of gradual reduction, for about 30 days. They say they have the best mill in the

An additional telegraphic order from the Pacific coast demands four more pairs of the Stevens rolls. The Jno. T. Noye Mfg. Co. of Buffalo, N. Y., will see that they go forward.

THE Case Mfg. Co., Columbus, O., have the contract of Wm. Deubel Co., Ypsilanti, Mich., for breaks, rolls, purifiers, etc., for a full gradual reduction mill on the Case

THE Case Mfg. Co., Columbus, O., have the order of Thos. Bradford & Co., Cincinnati, O., for one break machines, to go in one of the numerous mills, they are building.

MESSES. Hutton, Harris & Co., Auburn, Ill., have recently put in an Allis roller outfit, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., Milwaukee,

Mr. L. V. Rathbun, of Rochester, N. Y., has lately purchased two pairs of porcelain rolls, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., Milwaukee,

MESSRS. Becker & Underwood, of Dixon, Ill., have ordered two more pairs of Allis' rolls, in Gray's noiseless belt frame, from Messrs. Edw. P. Allis & Co., of Milwaukee,

MR. J. Weber Adams, of Cedarville, Ill., recently ordered ten pairs of Allis' rolls, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., of Milwaukee,

MESSRS. Goodlander, Mill & Elevator Co., of Ft. Scott, Kans., lately purchased another Gray's noiseless belt roller mill, of Messrs. Edw. P. Allis & Co., Milwaukee,

For the new mill now being built at Pendleton, Oreg., there has been placed with The Jno. T. Noye Mfg. Co., an order for six double Stevens roller mills of the improved pattern.

MESSRS. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., recently sold Messrs. Marrow & Bro., of Athensville, Ill., two pairs of Allis rolls, in Gray's noiseless belt frames

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., are placing eighteen pairs of Allis' rolls, in Gray's noiseless belt frames, in the mill of Messrs. Valier & Speis, at Marine, Ill.

MR. H. Hutch, Columbia, Ill , has been remodeling his mill and has put in eight pairs of Allis rolls, in Gray's noiseless frames, from the Reliance Works, of Edw. P Allis & Co., of Milwaukee, Wis.

THE Case Mfg. Co., Columbus, O., have taken the contract of Mast Troyer & Co., Buena Vista, O., for breaks, rolls, purifiers, scalping chests, etc., for a full gradual reduction mill on the Case system.

THE Saxony Mills, at St. Louis, Mo., recently placed their order with Messrs. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., for twenty-four pairs of Allis' rolls, in Gray's noiseless belt frames.

Messes. Chisholm Bros. & Gunn, of Minneapolis, Minn. recently placed an order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for eight pairs of Allis rolls, in Gray's noiseless belt frames.

THE Slater Mill Co., of Blanchester, Ohio., have placed their order with Messrs. Edw. P. Allis & Co., of Milwaukee, Wis., for ten pairs of Allis rolls, in Gray's noiseless belt frames, for mills that they are furnishing.

MR. C. Eisenmayer, of Summerfield, Ill., has recently made some improvements in his mill, including the putting in of four pairs of Allis rolls, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co. of Milwaukee,

STOUT Mills & Temple, Dayton, O., have just sold to the Cuyahoga Forge and Iron Co, Cuyahoga Falls, O., a Gilbert combined mill for breaks, Livingston fin rolls, bolting chests, and all necessary machinery, for a complete roller mill.

MESSAS. Willford & Northway, the extensive mill fur- Mfg, Co, of Buffalo, N. Y. nishers of Minneapolis Minn., lately placed their order with Messrs. Edw. P. Allis & Co., Reliance Works, Milwaukee, Wis , for four pairs of Allis' rolls, in Gray's noiseless belt frames.

Messes. Edw. F. Allis & Co., of the Reliance Works, Milwaukee, Wis., have an order from Mr. J. C. Smith, Mankato, Minn., for two of their new four-break machines, also some of their celebrated Allis' rolls for mills, he is remodeling.

MESSRS. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., have taken the contract for remodeling the mill of Messrs. Harris & Co., at Greencastle, Ind. The outfit will include twelve pairs of Allis rolls, in Gray's noiseless belt frames.

Messas. Sinker & Davis, of Indianapolis, Ind., recently placed their order with Messrs. Edw. P. Allis & Co., of Milwaukee, Wis., for four pairs of the celebrated Allis' rolls, in Gray's noiseless belt frames, for a mill they are furnishing at Ruchville, Ind.

THE Brass Foundry & Machine Works, of Ft. Wayne, Ind., recently placed their order with Messrs. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., for nine pairs of Allis rolls in Gray's noiseless belt frames, for a job that they have under construction.

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., have recently received an order from the Great Western Mfg. Co., of Leavenworth, Kans., for eighteen pairs of Allis rolls, in Gray's noiseless belt frames, for mills, that they are furnishing. The Great Western Mfg. Co., are doing a large business in this line, and are using the celebrated Allis roli, exclusively.

Messes. Edw. P. Allis & Co., of Milwaukee, Wis., recently sold Messrs. E. Sanderson & Co., of same place, four pairs of the celebrated Allis' rolls, in Gray's noiseless belt roller mill frames.

MESSRS Edw. P. Allis & Co., of Milwaukee, Wis., lately sold The Muskegon ('ity Mill Co, of Muskegon, Mich., two pairs of Allis rolls, in Gray's noiseless frames, for their mill at that place.

THE Hudnuts of Terre Haute, Ind , recently purchasse three more pairs of Allis rolls, in Gray's noiselees belt frames, from Messrs. Edw. P. Allis & Co., Milwaukee Wis., for their hominy mills.

THE Garden City Mill Furnishing Co., of Chicago, Ill., recently placed an order with Messrs. Edw. P. Allis & Co of Milwaukee, Wis., for a line of the celebrated Allis' rolls for a mill they are furnishing.

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., re cently received an order for two pairs of Allis rolls, in Gray's noiseless belt frames, from Messrs. Matthews Bros. for their mill at Anamosa, Iowa.

Messas. Edw. P. Allis & Co., of Milwaukee, Wis., recently furnished Messrs. E. Sanderson & Co., of same place, six more pairs of the celebrated Allis' rolls, in Gray's

MRSSRS. Dow. Gilman & Hancock, of Davenport Iowa, recently purchased four pairs of Allis rolls, in Gray's noiseless belt frames, from Messrs. Edw. P. Allis & Co., of Milwaukee, Wis.

THE Richmond City Mill Works, of Richmond, Ind. have placed their order with Messrs. Edw. P. Allis & Co., of Milwaukee, Wis., for two pairs of Allis' rolls, in Gray's noiseless belt frame

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., recently filled an order from Messrs. W. D. Washburn & Co., of Minneapolis, Minn., for two more pairs of Allis' rolls, in Gray's noiseless belt frames.

MESSRS. Edw. P. Allis & Co., of Milwaukee, Wis., recently shipped twelve pairs of their celebrated Allis' rolls to their branch house, 318 Pine St., San Francisco, Cal. for mills on the Pacific Coast.

MESSRS. Gunn, Scott & Co, of Minneapolis, Minn., have lately ordered of Messrs. Edw. P. Allis & Co., of Milwaukee, Wis., four pairs of Allis' rolls, in Gray's noiseless belt frames, for their mill at Minneapolis, Minn.

NORDYKE & Marmon Co., Indianapolis, Ind., have ordered one "Little Giant" break machine, from the Case Mfg. Co., Columbus, O., for one of the many mills they are erecting.

O. C. Shepard of Medina, O., has tumbled to the roller boom and placed an order with The Jno. T. Noye Mig. Co. Buffalo, N. Y. for six pairs of Stevens rolls, with the usual recent improvements.

THE Case Mfg. Co., Columbus, O., have taken the con tract of H. T. Pendleton, Wentzville, Mo., for breaks, rolls, purifiers, scalping, chest etc., for a full gradual reduction mill on the Case system.

WM. DE GRASS, a Milwaukee millwright, met with a se vere accident March 10. While setting up a roller mill at Muskegon, Mich., his arm got caught in some moving gearing and was torn off. Roots & Co., Cincinnati, O., after running two "Little

Giant" break machines, for some time have ordered the third one, for their mill at Lawrenceburg, Ind., from the Case Mfg. Co., Columbus, O. SHULER & Co. of Minneapolis, Minn., have ordered for

R. L. Frazee of Frazee City, Minn., two additional pairs of Stevens rolls, from The Jno. T. Noye, Mfg. Co. of Buffalo, N. Y., the sole manufacturers. R. G. Shuler & Co, the popular and reliable mill build-

ers of Minneapolis, Minn., have instructed The Jno. T. Noye Mfg. Co., Buffalo, N. Y., to ship Johnson Bros. at New Richmond, Ind., one pair Stevens rolls. R. G. SHULER & Co. of Minneapolis, Minn., have cap-

tured an order from R. L. Frazee, of Frazee City, Minn., for a full line of ten pairs of Stevens rolls. The Jno. T. Noye Mfg. Co., of Buffalo, N. Y. will furnish them.

B. F. Gump of Chicago, Ill., the resident agent of the Stevens roller mills at that point, has instructed The Jnc. T. Noye Mfg. Co. of Buffalo, N. Y., to ship Knollenberg & Wavering, Quincy, Ill., eight pairs of these popular rolls.

CHAS. Heuber, of St. Louis, Mo., the lively representative of the Stevens roller mills in the state of Illinois and Missouri, has ordered two pair of these rolls of The Jno. T. Noye Mfg. Co., for Smith, Hill, & Co., of Quincy. Ill.

THE "Diamond" and "Bluff" flouring mills, belonging to the Red Wing Milling Co., of Red Wing, Minn., were destroyed by fire, Sunday March 4. The total loss is estimated at \$200,000, with insurance principally in foreign and Eastern Companies.

W. H. Wakeford, the traveling agent for The Jno. T. Noye Mfg. Co., Buffalo, N. Y., have captured an order from V. H. Crisman, Brouckville, N. Y., for a Noye concentrated roller mill, and separate rolls for germ and bran. All will be of Stevens pattern.

HILL Bros. of Penfield, N. Y., have placed an order with The Jno. T. Noye Mfg. Co., Buffalo, N. Y., for one of the recently invented and destined to be very popular Rounds sectional roller mill together with rolls for germ crushing.

G. H. & A. S. Hotaling, of Baldwinsville, N. Y., have ordered additional Stevens roller mills of the Jno. T. Noye

G. M. Beach, of Brillion, Calumet Co., Wis., has placed an order with The Jno. T. Noye Mfg. Co., through E, W. Pride, for a Rounds sectional roller mill.

J. F. Hilbert, of Creve, Mo., has ordered of The Jno. T. Noye Mfg. Co., one single and two double Stevens roller mills.

Jos. Wagner & Co of San Francisco, Cal., the Pacific Coast representatives of the Stevens roller mills, recently sent in an order to The Jno. T. Noye Mfg. Co., for fortytwo double mills, complete, to fill a contract recently ob tained by them. B. F. Gump, the Chicago mill furnisher, has taken the

contract for building a mill for Gilbert & Barber at Geneva, Wis., and has placed an order with The Jno. T. Noye Mfg. Co., of Buffalo, N. Y. for twelve pairs of Stevens rolls for the same. Gump will do a creditable job, and no mis-

WM. H. C. Kemp, whose mills recently burned at Williamsport, Md., has determined to rebuild and has placed an order with The Jno. T. Noye Mfg. Co., for a full line of Stevens roller mills, to go in the same.

C. J. Coggin, of Portland, Ia., has ordered of The Jno. T. Noye Mfg. Co., of Buffalo, N. Y., a Rounds sectional roller mill.

THE Case Mfg. Co. Columbus, O., have been awarded the contract of E. T. Noel, Nashville, Tenn., for breaks, rolls, purifiers, etc., for a 300 bbl. gradual reduction mill, on the Case system.

SHULER & Co., of Minneapolis, Minn., have ordered a Rounds sectional roller mill, of The Jno. T. Noye Mfg. Co., for a mill they are building at Wahpeton, D. T.; a single and double Stevens roller mill will also be used.

F. H. BACON, Esq. of Vermillion, O., have determined to adopt the roller system and have placed the order with The Juo. T. Noye Mfg. Co. of Buffalo, N. Y., for eight pairs of Stevens rolls, with the necessary improvements.

MILES & Son of Frankfort, Ky., have determined to put in rolls and have placed an order with The Jno. T. Noye Mfg. Co., Buffalo, N. Y., for nine pairs of Stevens rolls to be furnished with all the recent devices and improve-

E.W PRIDE, the popular agent at Nienah, Wis, has bagged an order for a full line (six pairs) of Stevens roller mills to go into the mill of John Basemann, Rib Falls, Marathon Co, Wis. The Jno. T. Noye Mfg. Co. of Buffalo, N. Y., will fill the order.

B. F. GUMP of Chicago, Ill., the popular mill furnisher, and re-ident agent for the Stevens rolls, has placed an order with The Jno. T. Noye Mfg. Co., of Buffalo, N. Y. for a pair of Stevens rolls for middlings, to go into the mill of Kendall & Smith at Lincoln, Neb.

G. M. ECKERT & Co., Darmstadt. Ill., has lodged an order with The Jno. T. Noye Mfg. Co. of Buffalo, N. Y., for seven pairs of the famous Stevens rolls. Chas. Huber, the St Louis, Mo., milling expert, took the order and will supervise the placing of the rolls in position.

E. W. PRIDE of Neenah, Wis., has captured an order for a three-break Rounds sectional roller mill, and four additional pairs of Stevens rolls to be placed in the mill of Edw. Hermann, Marathon City, Wis. The Jno. T. Noye Mfg. Co. of Buffalo, N. Y., will fill the order.

SHULER & Co. of Minneapolis, Minn., report a lively increase in their business. They have recently accepted an order on the part of The Jno. T. Noye Mfg. Co of Buffalo, N. Y., for a Rounds Sectional Roller Mill, to be placed in the mill of Chas. Jenny at Monticello, Minn.

THE mill of D. R. Sparks & Co., (everybody knows Sparks) of Alton, Ill., is to be enlarged, and The Jno. T Nove Mig. Co of Buffalo, N. Y., have the order for eight pairs of Stevens rolls for the purpose. This firm was amongst the first to adopt the Stevens rolls in their section of the

THE Case Mfg. Co. Columbus, O. some months ago furnished J. Pitt Felt, Emporium, Pa., with one "Little Giant" break machine, and one set double rolls; he was so well pleased with the working of these machines, that he has now placed his order with the same company for a full gradual reduction mill, on the Case system.

The Case Manufacturing Co. of Columbus, O., have just completed the Castalia Flouring Mill, near Sandusky, O. This mill has a capacity of 200 barrels per day, and the Case break machines, purifiers and other special machinery made by the Case Co., used by the milling company, give the best of satisfaction. Case machinery has an excellent reputation in all sections of the country, and many of the largest and best mills in the United States use more or less of it. For small mills also it is claimed that the Case Sys tem is unsurpassed.

For some time it has been known that the Mt. Vernon Mill and Elevator Co., of Mt. Vernon, Ind., have had in contemplation the erection at that place of a full fledged all roller mill including all the most recent and modern

Notice was given to such firms in this country as would handle such a work to prepare and submit plans, specifications and programmes. It was stipulated that the price should not govern or influence the decision, but that the general excellence of the plans &c., as to location of machinery, its adaptiveness to the required purposes, economical arrangement and the perfection attained in the programme should be the basis of judment. It may naturally be inferred that such unusual, though not unwise conditions would bring out the best and most competent mill building talent in the country, and it did.

It is doubtful if ever as complete and fine a lot of plans were gotten together in this country. After many days of waiting on the part of the bidders and careful study on the part of the Company, assisted by experts, the contract was finally awarded to The Jno. T. Noye Mfg. Co., of Buffalo, N. Y. The plans show a capacity of two hundred barrels of flour in twenty-four hours, all the work in its various stages being done on rolls,

In the complement of machinery is included a 16 x 30 Cummer Engine, two 22 x 46 boilers with pumps, &c., &c., to bring water up from the Ohio River, eight double Stevens roller mills, three centrifugal flour dressing machines, six Smith purifiers, bran dusters, packers, dust catchers &c. &c., for a mill of this capacity. The Noye Co., are to be congratulated on the success, they have attained and so well merited in this case.

AN EVENT FOR THE SOUTH. Nashville, Tenn., is to have a new full-fledged roller mill, "with all the latest improvements;" this has been in contemplation for some time, and much study and investigation has been given to it to find out if possible what plan to adopt. Whose machines and system to employ, &c. The proprietor is Dr. E. T. Noel, of Nashville, well and favorably known. The contractor, who is putting in all the work under a strong and binding guarantee, that the mill must be fully up to the best, is Mr. G. A. Weber, of the same city, whose name is a guarantee for good work, and good results. Mr. Weber was chosen as the expert referee at the Cincinnati Millers Exposition, to decide upon the m the different competing systems, represented there. The machines and system to be employed, are those of the Case Mfg. Co., known as the "Case System." Mr. Noel made a very thorough study of the present state of the milling art, visiting Minneapolis and many other advanced milling centers, and allowing himself ample time to investigate the merits of the different machines and their various claims to superiority, before finally deciding, and Mr. Weber's experience and skill was also brought into requisition to this end. It is expected, that the mill will be in full blast in time for the new crop, and its starting and operation will be watched with more than usual [Men tion the United States Miller when you write]

interest, by numerous of the dusty fraternity, both North and South. Every modern idea will be introduced tomake it a modern ideal mill. Large purifying calacity will be employed and the centrifugal reel will take an important part in the bolting. These machines, as well as the breaks and rolls, are all manufactured by the Case Company

The mill is to have ample capacity for 300 bbls, in 24 hours. This is a step in the advance, for the South, and cannot but prove to be well taken.

For Sale at a Bargain!

A 2-Run Grist Mill, Water Power. Dwelling, Some Land, For full information address,

> J. N., P. O. Box 257. Kasson, Dodge Co., Minn.



BURNHAM'S

Water Wheel

Over 2,000 sold the past eight years. New Illustrated and Descriptive Pamphlet sent free by

BURNHAM BROS.,

AW MILL GAUGE

York, Pa. [Please mention this paper when you write us.]



Address, TAYLOR MFG. CO. (Please Mention this Paper.) Chambersburg, Pa

FOR SALE.

A good two-run flour mill. Water power. Building 32 by 56 feet. Good dwelling and 20 acres land, with plenty timber. Poor health is my reason for selling. Mill is located seven miles from county seat in a good wheat-growing section. Address A. E. ADAMS.

Alma, Harland Co., Neb.

"THE BEST IS CHEAPEST." ENGINES, THRESHERS SAW-MILLS, forse Powers THRESHERS

(Suited to all sections.) Write for FREE Illus, Camphlet and Prices to The Aultman & Taylor Co., Mansfield, Ohio.

Milers and Grain Buyers can secure agency for the above goods (it will prove a profitable agency, free from risks, and will increase your trade with trade with farmers) by writing to THE AULTMAN & TAY-LOR CO., MANSFIELD, OHIO.

IMPORTANT NOTICE TO MILLERS.

The RICHMOND MILL WORKS, and RICHMOND MILL FURNISHING WORKS are wholly removed to Indianapolis, Ind., with all the former patterns, tools, and machinery, and those of the firm who formerly built up and established the reputation of this house; therefore to save delay or miscarriage, all letters intended for this concern should be addressed with care to NORDYKE & MARMON CO., INDIANAPOLIS, IND.



"MOORE COUNTY GRIT" Corn-Mills and Millstones,

THE BEST IN THE WORLD! SAMPLES OF MEAL SENT ON APPLICATION. North Carolina Millstone Co. WESTMINSTER, MD.

Unless you wish to know that C. F. MILLER, of Mansfield, O., is better prepared than ever before, to furnish Materials and Plans for Stone or Roller Mills of any desired capacity. A very superior quality Genuine Zurich Silk Anchor Bolting Cloth, by the piece or made up with webbing in any quantity desired. Prices always reasonable. Personal attention given to all communications relating to Plans, Specifications and general arrangement, and selection of Machinery free to my customers.

Thankful for past favors, and wishing my Milling friends a happy and prosperous year.

I am very respectfully,

C. F. MILLER

THE PAIGE MANUF'G CO.,

PAINESVILLE, OHIO,

Boilers, Engines, Flouring Mill and Elevator Machinery.

ROLLER MILLS AND MILL FURNISHINGS

OF EVERY DESCRIPTION.

Millwrights, Builders and Contractors, send for our Descriptive Machinery Catalogue of 1883.

20, 22 and 24 St. Clair St., Painesville, Ohio.

A NEW DEPARTU

We are the Sole and Exclusive Licensees for this Country under the

MORRITZ MARTIN PATENTS

Centrifugal Flour Dressing Reels

And we are now prepared to fill orders for machines with latest improvements, which include

Our New Double Conveyors!

New Cloth Fixing and Stretching Device!

New and Simplified Manner of Driving!

THE CENTRIFUGAL has more than FOUR TIMES the capacity of the ordinary reel, and will make clear flour and a clean finish on stock that cannot be treated in the common reel without loss, no matter how much silk it is passed over.

IT IS SPECIALLY ADAPTED to handling soft, reground material, full of light impurities, whether from rolls or stone.

IT IS INDISPENSABLE to a CLOSE FINISH in any system of gradual reduction milling, and will improve the quality of the low grade flour at the same time it makes the offal cleaner.

IT MAKES A CLEAN SEPARATION on caked and flaky meal from smooth rolls, which no other style of reel can do.

IT IS VASTLY SUPERIOR to the common reel for dusting middlings.

THEY CAN BE USED TO ADVANTAGE as a complete system of bolting, to the exclusion of the ordinary reel.

Over one Hundred sold in six weeks.

REFERENCE TO LEADING MILLERS IN THE UNITED STATES.

Write for descriptive circular and price list to

GEO. T. SMITH MIDDLINGS PURIFIER CO., - Jackson Michigan.

[Please mention the United States Miller when you write to us.]



HENRY HERZER,

Manufacturer

and

Dresser

PICKS!

NO. 456 ON THE CANAL,

MILWAUKEE, WIS.

I have had twenty-two years experience in the manufacture and dressing of Mill Picks, and can and do make as fine Mill Picks as can be made by anybody anywhere. I use only the best imported Steel for the purpose. My work is known by millers throughout the country, and is pronounced to be first class by the very best judges.

and is pronounced to be a subjudges.

We have hundreds of the most gratifying testimonials from nearly all the States. We solicit your orders and guarantee satisfaction. Address as above.

[Please mention this paper when you write.]

The Perfect Feed Box



It insures a perfectly even distribution of the middlings over the entire width of the cloth. Every miller will ap-preciate this. Fits all purifiers. Address,

CASE MANUFACTURING CO.,

COLUMBUS, OHIO

W. E. CATLIN & CO., 68 LAKE ST., CHICAGO, ILL

AGENTS.

[Please mention this paper when you write to us.]


Don't order your Cloth until you have conferred with us; it will pay you both in point of quality and price. We are prepared with special facilities for this work. Write Address, us before you order.

CASE MFG. CO.,

Office Factory; Columbus, Ohio

Fifth St., North of Waughten.





Manufacturers and Sole Proprietors of the

BECKER BRUSH,

Galt's Combined Smut and Brush Machine. The Only Practical Cone-Shaped Machines in the Market, and for that Reason the Best.


ADJUSTABLE WHILE IN MOTION.

Nearly 1,000 of these Machines in Use.

In the United States and foreign countries, and so far as we know all that use them are pleased. Millers, millwrights, and milling experts claim the Cone Shape Solid Cylinder Brush is the true principle to properly clean grain. All machines sent on trial, the users to be the judges of the work. For price and terms apply to

EUREKA MANF'G CO., ROCK FALLS, ILL., U. S. A. [Mention this paper when you write-)

Laplant .



COMPUTATION DIARY.

Embodies everything in Figures that is PRACTICAL, and ADAPTED to the wants of Farmers, Mechanics and Business Men; and by ingenious and original systems, makes the art of computation exay and simple, even for a child. It gives the correct answer to nearly 100,000 business examples of almost every conceivable kind, and is worth its weight in gold to every person not thoroughly versed in the science of numbers. Inselling GRAIN of any kind, it will tell how many bushels and pounds are in the load and how much it will come to, without making a single calculation. In like manner, it shows the value of Cattle, Hogs, Hay, Coal, Cotton, Wool, Butter, Eggs and all kinds of Merchandise. In computing INTEREST and Wages, it has no equal, either in easy methods or convenient tables. It shows, at a glance, the accurate measurements of all kinds of Lumber, Logs, Cisterns, Tanks, Barrels, Granaries, Wagon beds, Corn cribs, Cordwood, Hay, Lands, and Carpenters', Plasterers' and Bricklayers' work, etc. It, however, not only tells results, but also TEACHES entirely NEW, SHORT and PRACTICAL RULES and Methods for RAPID commercial calculations, which will prove highly interesting to every; student of this great and useful science. It is neatly printed on fine tinted paper, elegantly bound in pocket-book form, and accompanied by a Silicate Slate, Memorandum, pocket for papers and PERPETUAL Calendar, showing the DAY of THE WEEK for any DATS in the 17th, 18th, 19th and 20th centuries. It will be to every one's interest indeed, to examine this useful and convenient work before buying a new memorandum as it saves not only time and labor, but often dollars and cents as well, and withal costs no more than an ordinary diary in similar binding.

Prices of Different Styles of Binding:

No. 1, Eng. Cloth,	plair	, wit	h mem	oran	dum		\$.50
No. 2, " "	with	slate,	pocket,	flap	and	mem.	.75
No. 3, Full Leather.	**	44	- 11	"	16	**	1.00
No. 4, " Morocco,	**	11	7.6	4.6	**	**	1.25
No. 5, " Russia,	**	44	**	**	**	11 -	1.50
Mo. 6 " Russia Ca	alf.	**	**	**		**	2.00
Nos. 3, 4, 5 and 6 h 6 are GILDED. Sent	ave	RENEV	VABLE d	liari	es	Nos. 5	and
o are GLDED. Sent	Post	PAID	on recei	pt o	pric	æ,	
Address,	UN	ITEI	STAT	ES	MII	LER	,

Milwaukee, Wis.

JOHN C. HICCINS.

Manufacturer and Dresser of

No. 169 W. Kinzie Street,

CHICAGO. ILLINOIS.



Picks will be sent on 30 or 60 days' trial to any responsible miller in the United States or Canada, and if not superior in every respect to any other pick made in this or any other country, there will be no charge, and I will pay all express charges to and from Chicago. All my picks are made of a special steel, which is manufeld, England. My customers can thus be assured of a good article, and share with me the profits of direct importation. References furnished from every State and Territory in the United States and Canada. Send for Circular and Price List.

[Mention this paper when you write us.]

Birge & Smith. PRACTICAL

PLANS, SPECIFICATIONS & ESTIMATES

MILLWORK, MACHINERY, ETC.

Flour, Sawmill, Tanners' and Brewers' Machinery, and General Mill Furnishers,

Corner of East Water and Knapp Sts., MILWAUKEE, - - - WISCONSIN.

[Mention this paper when you write to us.]

MANSFIELD, OHIO.

Materials and Plans for Stone or Roller Mills. Roller Mills furnished complete ary appuances, and the most perfect system of bolting for Mills of any desired capacity. Genuine Zurich Silk Bolting Cloths by the piece, or made up with Webbing. Warranted best quality.

Mention this Paper when you write to us.]

FOR SALE.

A STEAM FLOURING MILL

AT OSAGE CITY, KANSAS.


A thriving mining town of about three thousand inhabitants. A fine agricultural and stock-raising district. The mill has four run of burrs, ample storage, and is within 100 feet of the main line of the Atchinson, Topeka & Sants Fe R. R. Good local market for flour, and large demand for mill stuffs No other mill within ten miles and none west on the line of the railroad for twenty-six miles. Six coal shafts within one-half mile. Terms very reasonable to the right party. Address or apply to E. MILLS, Osage City, Kansas, or C. L. NICHOLSON, 812 Washington Avenue, Philadelphia, Pa.

We continue to act as Solicitors for Patents, Caveats, Trade Marks, Copyrights, etc., for the United States, Canada, Cuba, England, France, Germany, etc. We have had thirty-five years' experience.

Patents obtained through us are noticed in the SCIENTIFIC AMERICAN. This large and splendid illustrated weekly paper, \$8.20 a year, shows the Progress of Science, is very interesting, and has an enormous circulation. Address MUNN & CO., Patent Solicitors, Publishers of SCIENTIFIC AMERICAN, \$7 Park Row,' New York. Hand book about Patents sent free.



COCKLE SEPARATOR MANUFACTURING COMPANY, MILWAUKEE GENERAL MILL FURNISHERS



PLAIN COCKLE MACHINE.

IMPROVED COCKLE SEPARATORS

Richardson's Dustless Wheat Separators!

Also Sole Manufacturer of BEARDSLEES PAT. GRAIN CLEANER.

We will contract to furnish entire Wheat Cleaning Machinery for mills, and guarantee the best results.

Send for Illustrated Catalogue.

Perforated Zinc at Bottom Figures. WE GUARANTEE GREAT CAPACITY combined with GOOD QUALITY OF WORK. Any common Sieve will separate the cockle from wheat, but to separate it WITHOUT WASTE is the GREATEST FEATURE of our Machine. A WASTEFUL machine is a DAILY LOSS OF MONEY in a mill. There is NO MACHINE IN THE MARKET which can stand comparison with ours.

LOSS OF MONEY in a mill. There is NO MACHINE IN THE MARKET which can stand comparison with ours.

Carbondale, Ill., Dec. 2, 1881.

Cockle Separator Mig. Co., Milwaukee.

Gentlemen:—Replying to your late favor, would say that we can cheerfully with early the 28th inst., I would say that the recombined machine I bought of you last time and know whereof we speak. We would not think of doing without it, having tried it once, and can conscientiously vouch for its good work.

Yours respectfully,

BROWN & WINFREY.

Perrysville, Ind., Nov. 24, 1881.

Cockle Separator of Mig. Co., Milwaukee, Without wasting any of the small for it, and is the most perfect spearator with the clean of the clean of the wind wheels. It may opinion every mill in the for it, and is the most perfect spearator with the conditions of the combined machine I bought stereinly wheat and is the most perfect spearator with the conditions of the combined machine of the clean of the clean of the clean of the clean of the combined machine of the clean of the clean of the clean of the clean of the combined machine of the clean of the cle

BEARDSLEE'S WHEAT CLEANER.

Yours truly,
CAHILL, FLETCHER & CO.
La Crosse, Wis., July 30, 1881.
Cockle Separator Mfg. Co., Milwaukee.
Gentlemen: — The Beardslee Grain Cleaner sent me about the middle of June has been in operation since that

R MILLS, PURIFIERS, and other machines requiring a reculars with flustration.

Tomi you for our New Era and Milwaukee kee Mills give us the best of satisfaction. Experienced millers having seen the work done by the machine agree with us, that it cannot be beat. You are at liberty to use our names as a reference, and to any party calling on us we will be pleased to show the machine in operation, Yours truly,

NEW ERA MILLING CO

BUDGETT, JAMES & BRANTH,

BRISTOL, ENGLAND.

Orobio de Castro & Co., AMSTERDAM (Holland), Europe, Telegrams, OROBIO, Amsterdam,

FLOUR and GRAIN.

American Correspondence Solicited. Consignments Accepted.

Northwestern Mill Bucket Manufactory

810, 312, and 314 FLORIDA STREET.

Leather, Rubber, Canvas Belting and Bolts at lowest market rates. We have no traveling agents. Sample Buckets sent on application. Large orders will receive liberal discounts. Send for sample order.

Address all inquiries and orders to
L. J. MUELLER, 197 Reed St., Milwaukee, Wis..
[Mention this paper when you write us.]

W. M. SHOOK,

Millwright and Contractor

Dealer in all kinds of Mill Furnishings.

PRACTICAL ROLLER MILL BUILDER,

Office and Shops 172 and 174 South Market Street,

CANTON, OHIO.


NORTHWESTERN MILL BUCKET

[Mention this paper when you write us.]

Pott's Patent Automatic Feeder! The best device for regulating the FEED ON ROLLER MILLS, PURIFIERS, and other machines requiring a regular feed, spread out the full width, Very cheap and Simple. Sent on trial upon application. Write for circulars with illustrations. Perforated Zinc of all sizes at low rates. Send for Illustrated Catalogue.

WOODBURY, BOOTH & PRYOR

OCHESTER. N. Y.



Manufacturers of


Automatic Cut-Off, Fixed Cut-Off. and Slide Valve

Steam Engines, Tubular Boilers.

Mention this paper when you write.]

MARSHALL'S JONVAL TURBINE

Water Wheel. Flour Merchants,



18 TO 80 INCH.

Round and square cases. Buckets and Rims of wrought iron. Cheap as the cheapest. Durable and economical in the use of water. Send for circulars and prices to

G. M. MARSHALL & SON,

KILBOURN CITY, WIS. Manufacturers of Power Corn Shellers, Etc. [Mention this Paper when you write to us.]

The Geo. T. Smith Middlings Purifier.

Quantity and Quality of Work Considered.

Licensed Under all Patents

Owned by the Consolidated Middlings Purifier Company,

Simple, Easily Adjusted,

SPECIAL NOTICE.

tomers, and to put an end at once and forever to the demands for royalties by which they have recently been annoyed, we have purchased ALL PATENTS relating to Purifiers, lately owned by Huntley, Holcomb & Heine, including the well-known MIDDLETON PATENT and its several re-issues.

Every purchaser or owner of a Geo. T. Smith Purifier, in the past or future, owns the right to use it unmolested and unchallenged, and in this right we have, can and shall protect them.

Intending purchasers should give this notice attention, as it is of the utmost importance to

For the more complete protection of our customers, and to put an end at once and ferever. Adapted to all Systems Is furnishing Mills and Elevators in all parts of the country with their superior BUCKETS. They are Unequaled for their Shape, Strength and tomers, and to put an end at once and ferever.

Of Milling, and every Grade and Condition of Middlings.

FOURTEEN SIZES

Durable, Light Running.

Single, Double and Special Machines.

Two Thousand SMITH PURIFIERS were Sold in 1881.

THE SMITH PURIFIER is in Use in every Milling Country in the World. More than Four Thousand are now running in the United States.

The Smith Purifier has a Positive and Effective Means of Cleaning the Silk of the Sieve. The Smith Purifier has Graded, Controllable Air Currents. It is Impossible to do Good and Economical Work without these Features.

OUR CLOTH TIGHTENER

OUR AUTOMATIC FEED

Makes it both convenient and easy to keep the Silk always properly stretched. IS POSITIVELY SELF-ADJUSTING AND RELIABLE.

WRITE FOR DESCRIPTIVE PRICE LIST AND CIRCULAR TO

GEO. T. SMITH MIDDLINGS PURIFIER CO., Jackson, Michigan. [Please Mention this paper when you write to us.]

[Mention this paper when you write us.]

Made entirely of STEEL. ONE MAN with it can easily move a loaded car. Will not slip on lee or

Manufactured by
E. P. DWIGHT

Dealer in Railroad Supplies, 40

Library St., Philadelphia, Pa. paper when you write us.]